


FIELDSTONE DRIVE



D

ACUSHN
(PUBLIC-V

FIELDSTONE DRIVE - SASSAQUIN HIGHLANDS

REMOVE EXISTING
SIDEWALK BETWEEN
TRANSITION ENDS

REMOVE EXISTING
STOCKADE FENCE
PROPOSED STREET
SIGN

25 LF OF
12" RCP
@ 1.0%
6" PVC ROOF
DRAIN LEADERS
FOR LOTS 3+4
TO C.B.S. (3+4)

INV. = 121.50

BENDS
AS REQUIRED

FIELDSTONE DRIVE

PROPOSED WATER
SERVICE CURB STOP
18" FROM FACE OF
CURB (TYP.)

PROPOSED STOP
SIGN

PROPOSED TYPE VA4
GRANITE CURB

RELOCATE EXISTING
STREET LIGHT

DMH2 (STORMCEPTOR STC 450)
RIM=126.00
INV. IN=122.16 (CB3)
INV. IN=122.16 (CB4)
INV. OUT=121.91 (FE1)

100 FT. 
BUFFER ZONE

N/F
LEO P. & PATRICIA M.
ROUSSEAU
MAP 136-LOT 261
LOT 2 & 3
PLAN 19-19

PLAN

$$1'' = 40'$$

PROFILE