

APPLICATION/AGREEMENT
For Trench/Disturbance Permit within the City of New Bedford

Permit # 100-16
Dig Safe # 2016-130-0608
Date 3/28/16

TO THE MAYOR AND CITY COUNCIL:

DISTURBANCE PERMIT/TRENCH SAFETY PERMIT

Permission is hereby requested to excavate the surface of: ☒ City Property and/or ☒ Private Property
Provide Sketch

Location of Work: 1519 Bonhase Street

P. 72 Z. 107. ~~Liberal Union~~

FOR INSPECTION ONLY A 24 HOUR
NOTICE IS REQUIRED AND THE
CONTRACTOR/APPLICANT IS
REQUIRED TO NOTIFY THE D.P.I.
@ 508 979-1550 Press 3 Repair

Substantially as per plan annexed, for the purpose of:

Sewer # 24470.

ROADWAY CLOSURES WILL REQUIRE
AUTHORIZATION FROM THE
COMMISSIONER OF PUBLIC
INFRASTRUCTURE. TRAFFIC MANAGEMENT
PLANS MAY BE REQUIRED.

Work will begin (weather permitting) on: 3/29/16

Work will end (weather permitting) on: 4/29/16

Applicant Name: Robert C. Carless

Excavator(s) Name: on file

Company Name: RT Carless Exc

Hoisting Equipment License Number:

Grade: Expiration Date:

Contact Number: 508-916-1144

Name & Contact Number of Insurer:


Fire-Dumont Arlet Ins. 508-673-5808

Competent Person on Work Site:

APPROVED BY: Dennis M. Amodeo DATE: 3/28/16

TITLE: Clerk of the Works

This permit shall be posted at the work site, and shall remain until the work is completed. It is subject to inspection at all times.



24" DIA. C.I. HEAVY DUTY
FRAME & COVER W/CENTER
HOLE

FINISHED GRADE

4" VENT TO ROOF
INDEPENDENTLY

4"

2" MAX

WATER

1/8 LONG BEND

LEVEL

4"

EXTRA HEAVY C.I. PIPE 4"

SPECIFICATIONS:

- * 4,000 PSI @ 28 DAYS
- * H-20 LOADING
- * GRADE 60 STEEL REINFORCEMENT
- * MEETS ASTM A-615
- * MEETS ASTM C-478

(B)

WROUGHT
IRON
STEPS

3'-0"

18" o.c.

(C)

2'-6"

(A)

INTERCEPTOR SIZE

INLET	A	B	C
4"	4' DIA.	3'-0"	2'-6"

STRAFELLO PRECAST INC.
250 CAPE HIGHWAY
EAST TAUNTON, MA
02718

R.J. Canessa Excavation
P.O. Box 51643
New Bedford, Ma

August 16, 2015

Proposed Sewer and Water MDC Trap at 1519 Purchase Street New Bedford. Ma

