

200-16-24

EXPENSES: 4-23-19



CITY OF NEW BEDFORD
SEWER AND/OR STORM DRAIN PERMIT

DATE 4-23-18

PERMIT NO.

124578

8-19-2018

This certifies that permission is granted to

Aspen Properties, LLC Caret St 774-644-3134
Property Owner Address Tel.

To connect a sewer and/or storm drain located at Phillips Rd (W3) 703' N x Hillcrest Rd existing stub on
Assessor's Plot 134 Lot 474, to the sewer and/or storm drain in connecting into Phillips Rd Street

To be laid in accordance with the conditions in this application and the City of New Bedford ordinances.

TYPE OF USE: RESIDENTIAL

COMMERCIAL

INDUSTRIAL

FLOW G.P.D.

If applicant other than actual property owner, attach Letter of Authorization from Property Owner.
Name: Construction Caret St Tel: (508) 667-1038
Mailing Address: 600 Caret St THUNDER, MA
The Bonded Contractor/Drain Layer authorized to perform this work is:

Name: FAYLAND CORP Address 35
Type of Pipe Required: 6" SDR35 Tel.

PERMIT EXPIRES ONE YEAR AFTER DATE OF ISSUE

- Requires separate connections for sewage and storm drain where applicable. Storm water cannot be discharged to a sanitary sewer.
 - All work must be inspected and approved by a D.P.I. inspector before backfilling.
 - If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement.
 - Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Infrastructure of required plans and supplemental information.
 - In addition, a City-issued Industrial User Discharge Permit and/or a Sewer Extension/Connection Permit issued by the Commonwealth of Massachusetts D.E.P. shall be required by the City for Industrial Discharge into the sewer system.
- Industrial User Discharge Permit No. Date

Comm. Mass. Sewer Conn./Ext. Permit No. Date
A Filing and Inspection Fee of \$ 450.00, plus an Entrance Fee of \$ where applicable, must accompany this application.

BankAmerica Corporation Check# 12397 Date 4-20-18 Receipt# 1643134
FOR INSPECTION ONLY A 24 HOUR
NOTICE IS REQUIRED AND THE
CONTRACTOR/APPLICANT IS
REQUIRED TO NOTIFY THE D.P.I.
@ 508 979-1550 Press 4 Repair
PERMIT EXPIRES 1 YEAR

Sewer

Connection made to

Storm Drain

NO

Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Infrastructure and/or City Engineer may deem necessary

A. S. Stephens City Engineer
Engineering Supervisor

Signature of Property Owner or Representative

INSPECTOR'S REPORT

INSPECTED BY:

DATE:

COMMENTS:

APPROVED

DISAPPROVED

SIGNATURE

SKETCH PLAN