



CITY OF NEW BEDFORD  
SEWER AND/OR STORM DRAIN PERMIT

DATE June 3, 2023  
Expire date: June 3, 2022

PERMIT NO.  
25052

This certifies that permission is granted to

Phillip Rose 28 Bond St Acushnet MA 02741 508-289-0125  
Property Owner Address Tel.

To connect a sewer and/or storm drain located at Beverly St Acushnet Ave

Assessor's Plot 134 Lot 34 to the sewer and/or storm drain in Beverly Street  
60' x 46' = 8 840

To be laid in accordance with the conditions in this application and the City of New Bedford ordinances.  
TYPE OF USE: RESIDENTIAL COMMERCIAL INDUSTRIAL FLOW \_\_\_\_\_ G.P.D.

If applicant other than actual property owner, attach Letter of Authorization from Property Owner.

Name \_\_\_\_\_ Tel. \_\_\_\_\_  
Mailing Address N/A

The Bonded Contractor/Drain Layer authorized to perform this work is:

Name ROSE ASSAULT Address \_\_\_\_\_ Tel. \_\_\_\_\_  
Type of Pipe Required: 8 in. SA 36" + 2 new sewer manholes  
sewer main extension

PERMIT EXPIRES ONE YEAR AFTER DATE OF ISSUE

- Requires separate connections for sewage and storm drain where applicable. Storm water cannot be discharged to a sanitary sewer.
- All work must be inspected and approved by a D.P.I. inspector before backfilling.
- If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement.
- Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Infrastructure of required plans and supplemental information.
- In addition, a City-issued Industrial User Discharge Permit and/or a Sewer Extension/Connection Permit issued by the Commonwealth of Massachusetts D.E.P. shall be required by the City for Industrial Discharge into the sewer system.

Industrial User Discharge Permit No. \_\_\_\_\_ Date \_\_\_\_\_

Comm. Mass. Sewer Conn./Ext. Permit No. \_\_\_\_\_ Date \_\_\_\_\_  
A Filing and Inspection Fee of \$ 450 plus an Entrance Fee of \$ 240 where applicable, must accompany this application.

Bank# Bank 5 Check# 110 Date 10-6-2022 Receipt# 3721515

Other requirements: extending existing 36" stub of Beverly Street sewer  
main east of Acushnet Ave. 8" sewer main

Connection made to Sewer Part of jointly-shared private line N/A YES ☒ NO ☐  
Storm Drain sewer main will be owned, operated and  
maintained by the City once installed.

Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Infrastructure and/or City Engineer may deem necessary.


Stephen Gifford  
Asst. City Engineer  
Signature of Property Owner or Representative

INSPECTOR'S REPORT

INSPECTED BY: \_\_\_\_\_

DATE: \_\_\_\_\_

COMMENTS: \_\_\_\_\_



APPROVED \_\_\_\_\_ DISAPPROVED \_\_\_\_\_

SKETCH PLAN

SIGNATURE