APPLICATION/AGREEMENT

For Trench/Disturbance Permit within the City of New Bedford

Permit # 100 2023 Dig Safe#20222100636 Date: 05/23/2022

TO THE MAYOR AND CITY COUNCIL:

DISTURBANCE PERMIT/TRENCH SAFETY PERMIT

I postion of Work: 118 I posset Ct		Permission is hereby requested to excavate the surface of: X City Property
		×
		City Property
	Provide Sketch	and/or X_Private Property

Between Richmond St & Cedar St, working in street and street to house. Emergency Gas Line Maintenance	eet and street to house.
Work will begin (weather permitting) on:	May 23, 2022
Applicant Name: Steven Botelho (gk)	Excavator(s) Name:
Company Name: <u>Eversource</u>	Hoisting Equipment License Number: Grade: Expiration Date:
Contact Number: 508-441-5817	Name & Contact Number of Insurer:
Competent Person on Work Site: ON FILE	APPROVED BY: Umanda Jupin DATE: Lil
	TITLE: possion durcher gumit and

This permit shall be posted at the work site, and shall remain until the work is completed. It is subject to inspection at all times.

of trench Tranch repair: fural there's must go

Trenches must be maintained weekly until final paving is completed


COMMISSIONOR OF PUBLIC ROADWAY CLOSURES WILL REQUIRE AUTHORIZATION FROM THE PLANS MAY BE REQUIRED. INFRASTRUCTURE, TRAFFIC MANAGEMEN

0

Work completed prior to D.P.I. approval under emergency work order for Class II Leak

Permit only valid for three months from date of approval

							•
DESCRIPTION	TYPE	CATALOG ID_	SIZE	Q.PLANNED	Q.USED	Unit of Measure	
LG, TRACER WIRE CLIP/PROTECTOR, 50/BOX, GPI PART #TS125X6		587834		1		EA	
LOCK,EQUIPMENT, TAMPER PROOF, EXPANDABLE, 3 IN LG SHANK, W/ HEX HEAD SHEAR-OFF SCREW, ALUMOWELD RING	TAMPER PROOF	564930		1	1	EA	
RISER, PREFORMED, ANODELESS, PREBENT, FBE STEEL X HDPE, 1-1/4"-11-1/2NPTX1-1/4"CTS.090WALL, 36" TALL		591038		1	1	EA	
FITTING, COUPLING, METFIT, 1-1/4 IN CTS X 0.090 THK WALL SDR 15.3, ASTM F1924 , TO JOIN PE GAS DISTR PIPE AND TUBING, REPLACED IN 500835	METFIT	583759	1-1/4 IN CTS X 0.090 THK WALL SDR 15,3	3	3	EA	
VÄLVE,BLEED, EXCESS FLOW, BLACK, 1 IN IPS X 10 IN LG, #P32, PLASTIC, SDR 11, PE4710, SERIES 300	EXCESS FLOW, BLACK	603285	1 IN IP5 X 10 IN LG	1		EA	9
CABLE, INSULATED, MDP, #12 AWG, 7 STR, YELLOW, POLYETHYLENE-30, SOFT DRAWN CU, 500 FT/RL, FOR USED AS PIPE LOCATOR	INSULATED	513679		100	35	FT	
ANCHOR, EXPANSION, MASONARY, 3/8 IN, 1-7/8 IN LG, W/ BOLT, WASHER, FOR STABILIZER BRACKETS, 50/BOX	EXPANSION, MASONARY	535958	3/8 IN	2		EA	
DESCRIPTION OF WORK COMPLETED	<u>-</u>						
Relay 1" plastic service				0.22 - 114-			
PERSONNEL							
FOREMAN / WORKING LEADER / INSPECTOR							
SIGNATURE:							



		EVI	ERS	S ⊕ U	RCE				Ē	DA	ILY	ACT	IV	ITY	REPO	RT						
DigSafe/ DBYD Number	202221	.00636			PERMIT#					PROJECT#		999	99958			Unique ID		91	9107770-10-[UU69]			
ADDRESS:	118 LC	OCUST	ST		TOWN: NEW BEDFO			DRD DATE			05/23		23/22			WORK ORDER- TASK:		910	9107770-10			
HEET 86 of 92	LEAK REPORT #			LEAK CLASS								TYPE OF			SCONSTR							
IPE RETI	DEMENT				Contracto	r:		_	_		WAM	FWO:	303	47157	7		W	AMCTE #	915	367		
TPE REIT			VDE				MATE	RTAI		T	IZE	T	- 11	NGT	4		PR	ESSURE		T	VIN	YR
FACILTY_TYPE				Bai	e St			1					33			T KEBBOKE			LP		19	
IPE INSP	ECTION																					
FACILITY	TYPE	MATE	RIAL	SIZE	EXT PIP	E CC	DND	INT	PIPE COND EX			T CORR COND		ND :	D INT CORR COM		ND COATIN		IG DEPT		TH OF	COVER
1ain		Cast Ire	on	4	Po	or						ı	Poor			NA				3`0"		
IPE INST	Δ1.1.																		_			
ACTIVE		ALSIZ	IZELENGTHPRESSUREMETHOD P				P1	ERALL INSTALLE			T'I ME		AT MAIN			EFV INSTALLED		EFV SUBTYP		EFV COMMEN		
Service I	Plastic	1"	3	5	LP	Direct			or Less Full Serv		ervic	e 2`			Mechanical Saddle		No				1	
PRESSURE	TEST		T	_		L		-													_	
RESSORE	. 1631				T						Т				Т		T		Т	SO.	AP	NOTE
MUIDA	IUM TYPE START TIME			PRE	START PRESSURE(PSIG)			FINISH TIME		4E	FINISH PRESSURE(P							1ED TEST				
Air I"	ervice be		2022-05-23 11:45:00 110			2022-05-23 12:00:00			11		10	0 15min		Makuch Y		Ye	Yes Pass					
ESTORAT	ION																+					
CONSTRUCTION LOCATION EXISTING EXISTING MATERIAL LOCATION SURFACE FINISH DEPTH						3 LENGTHWIDTH				QUIRED TEMPORARY												
lot Asphalt Street Asphalt/Concrete 6							0.	0"	0,0"	6"				Compacted per O&M Standards				100				
ATERIAL	s			<u> </u>		_				_									·			
		DI	SCR	IPTIO	N				т	YPE	1	CATAL	0G		SIZE	la	D.PI	ANNED	O.US		nit of	
DESCRIPTION VALVE, METERING, INSULATING, LOCK-WING TAMPER PROOF, 1-1/4 X 1-1/4 IN, TUBE, BLACK FINISH, 5/BOX						INSULATING, LOCK-WING TAMPER PROOF			1 D 563160	,	1-1/4 X 1-1/4 IN		\dashv		1		Me	easure EA	NUMB			
TEE,PIPE, NON-BLOWING, 3/4 IN X 1 IN IPS PLASTIC X 3/8 IN PERF SDR 11, WELD INLET X COMPRESSION OUTLET ENDS, LIGHT WALL, STEEL						NON-BLOWING			560685	,	3/4 IN X 1 IN IPS PLASTIC X 3/8 IN PERF SDR 11		BIN		1							
BRACKET, STABILIZER, W/CAP SCREW FOR METER BAR, FOR 3/4 - 1-1/4 IN PIPE							STABILIZER			541600)					1			EA			
PIPE, 1-1/4 IN CTS X 0.090 IN THK WALL SDR 15.3, 1-3/8 IN OD, 500 FT LG COIL, POLYETHYLENE, PE3408/PE100									554021	ı	1-1/4 IN CTS X 0.090 IN THK WALL SDR 15.3		WALL		100		35	FT				
						NON-BLOWING					3/4 IN X 1 IN IPS PLASTIC X 3/8 IN PERF SDR 11		8 IN 1				1	EA				
COUPLING,PIPE, REDUCER, 1 IN IPS SDR 11 X 1-1/4 IN CTS 0.090 WALL, STAB ENDS, PLASTIC, PE4710						REDUCER			544457	1	1 IN IPS SDR 11 X 1-1/4 IN CTS 0.090 WALL		0.090		1			EA				
FITTING, SLEEVE, 1-1/2 X 18 IN, 100/BOX, NSTAR M-2501 VALVE, BALL, REDUCED PORT, 1-1/4 IN CTS 0.090 IN THK WALL, SDR 15.3, PE 4710, BUTT FUSE, POLYETHYLENE, BLACK									578032 604429		1-1/2 X 18 IN 1-1/4 IN CTS 0.090 IN THK WALL, SDR		0.090		1		1	EA EA				
FINISH. REPLACED IN 561837 MANIFOLD,METER, BYPASS BAR, PRE-ASSEMBLED, W/O							BYPASS	5 BAR	_	592069	\dashv	15.		\dashv		1	\vdash	+	EA	\vdash		
	REGULATOR, SPC M-4, 2/BX BOX VALVE, CURB, W/ 4-1/4 IN SQ COVER NON-LOCKING LID, FOR 1/2, 3/4, 1, 1-1/4, CURB VALVES, PAVEMENT RISER								114			\rightarrow			-			<u> </u>	+		 	
REGULATO BOX VALVE	, CURB, 3/4, 1 , 1	-1/4 ,	CURB						CURB			57781	2					1		1	EA	