APPLICATION/AGREEMENT

For Trench/Disturbance Permit within the City of New Bedford

Permit # 53-2023

Dig Safe#<u>20221612465</u> Date:<u>04/21/2022</u>

TO THE MAYOR AND CITY COUNCIL:
DISTU
DISTURBAN
CE PER
DISTURBANCE PERMIT/TRENCH
ENCH S
SAFETY
PERMI
\mathbf{H}

Permission is hereby requested to excavate the surface of: X City Property and/or X_ Private Property Provide Sketch

Location of Work: 68 Dewolf St Cross street Mt Vernon St. Working in street and street to house.

Emergency Gas Line Maintenance

Work will begin (weather permitting) on:	rmitting) on:April 21, 2022	22	
Applicant Name: <u>Kevin O'Sullivan (gk)</u>		Excavator(s) Name:	
Company Name: <u>Eversource</u>		Hoisting Equipment License Number: Grade: Expiration Date:	
Contact Number:508-441-5817		Name & Contact Number of Insurer:	
Competent Person on Work Site: ON FILE		APPROVED BY: Jamourdia Sugain DATE: Jeb 14,2023	
		TITLE: program divident - purnet end	

This permit shall be posted at the work site, and shall remain until the work is completed. It is subject to inspection at all times.

Trenches must be maintained

Work completed prior to D.P.I. approval under emergency work order for Class II Leak

Trenches must be maintained weekly until final paving is completed

Permit only valid for three months from date of approval

For any work done on City Property the following additional regulations apply:

permit shall be granted until said terms and conditions have been met. of Ordinances of the City of New Bedford, all of which are incorporated herein and made a part of this APPLICATION/AGREEMENT, No to all of the terms and conditions, including current bonding and surety deposit requirements, of the various sections of Chapter 22 of the Code said applicant and the City of New Bedford for permission to disturb/excavate the surface of City sidewalks and roadways, and as such is subject The applicant hereby specifically acknowledges and agrees to this permit, if granted, becomes a legally binding AGREEMENT, between

In the event that this permit is granted, the following requirements shall also be met:

- UNDER CONSTRUCTION, PASS AT OWN RISK" must be prominently displayed as directed by the Commissioner of the or more signs conveying the following message or its equivalent: "STREET CLOSED: PASS AT OWN RISK" OR "ROAD pedestrian and/or operators of motor vehicles properly approaching the work site of the hazard(s) occasioned by said work. One That sufficient barriers, lights, and warning signs shall be erected and maintained by the Permittee in such a manner as to notify Department of Public Infrastructure.
- Q use of foot travelers and vehicles shall be maintained. That the roadways and sidewalks shall not be unnecessarily obstructed and, so far as possible, safe and convenient ways for the
- ? whose orders shall be final and conclusive. That the trenches or excavations shall be backfilled as directed by the Commissioner of the Department of Public Infrastructure.
- ۵ specifications of the Department of Public Infrastructure, and within such time limits set by the Commissioner All pavement surfaces of roadways and sidewalks disturbed shall be restored by the permittee in accordance with approved City
- 0 the City considers the restoration to be completed. The applicant assumes full responsibility for maintenance of the pavement restoration for a period of three (3) years from the date

(including reasonable attorney fees) and liability on account of the disturbance of said street surface and any work done in connection therewith The applicant shall hold the City of New Bedford harmless and indemnify it for any and all injury to loss, cost, damage, expense

and City Council under the provision of law. Any permit for disturbance/excavation within the surface of the public right-of ways, as herein provided, may be revoked by the Mayor

have the right to a hearing before the Mayor and City Council. Mayor and City Council; said permits to be provisional until ratified as aforesaid. Any owner who has been refused a provisional permit shall Permits for disturbing/excavating the surface of public right-of-ways shall be issued by the City Clerk, subject to ratification by the

Occupational Safety and Health Administration (OSHA) on excavations: 29 CFR 1926.650 et.seq., entitled Subpart P Excavations." Persons engaging in any trenching operation shall familiarize themselves with the federal safety standards promulgated by the

By applying for, accepting and signing this permit, the applicant attests to the following:

- that he has read and understood 520 CMR 14.00 promulgated by the Department of Public Safety with regard to trench safety;
- Ċ, that he has read and understood the federal safety standards promulgated by the Occupational Safety and Health Administration on excavations: 29 CFR 1926.650 et.seq., entitled Subpart P "Excavations"

											:3AUTANDIS							
													ЯОТЭ	NSPE	. / ⊌∃¢	JAƏ7	\ MOKKING	-OREMAN
																-	73	ЕВЗОИИ
				elidoM:	ibilə d	diw emslo	ain Prob	r to ma	m rise	on) 93i	niəs p	relaye	Crew	niem (iser to	л то	it esivies be	Crew relay
														03T31	4MO	RK C	TON OF WO	ESCRIPT
																		o
			,														S	AIRETAL
Yes From riser to main of main		DC			a b		O . Z	,0,E		Þ	\dashv			JiedqeA 19:		199.	135 1	lleriqzA Jo
S6	ОСР				a b		"0 `p	"O , t	.	Þ				walk Concrete		ewət	PIS SIG	oncrete
					"Þ		1,0 _n	,O.,T		Þ		Concrete		Private Co			Concrete	
		СОМРА:		АЯОЧМЭТ ГЭА ЯІАЧЭЯ	н мерати н		нтап	мнтэ			EXI	KISTING HEINISH SOA			ARUS NOTIVA		MAIRIAM	
																	NOI.	TAROTZE
			nyT wb3			100		.25:00 12- 6 0-			100			00:0+:51 72-40-220			ervice below 00 ft	
Saton	TAOS PARTED A VAILED			TEST NOITARUG				BMIT HSINIA		(9	TAAT2 PRESSURE(PSI		ьке	BMIT TAAT2		TYPE	MUIGE	
																_	TEST	RESSURE
					耳							Ŧ		Ŧ			1	
			N	lechanical Saddle	2`0" Saddle		Full Service		ı. Fess	irect Bury 60' or Lo					54,	"	t sites	ervice l
II I		אררבט s		NUECTION NIAM TA			STALLED\ GEPLACED		OVERALL PIPE HTGNETH		доні	нтэмэяигс		зячнтемата		IZI:	SJAIA3TAN	MCILITY BAYT
PIPE INSTALL																		
3.0,		Poor	AN		7009			ΑN				1009		þ uo.		Iron	Cest	nist
рертн ог соуев		ЭИІТАО Э	OND	тит совк с	ЕХТ СОВЯ СОИР			INT PIPE COND			dNC	EXT PIPE COND		3 3ZI	STIR JAIRSTA			
																	ECTION	IbE INZb
1061	13				۷۲			b/T-T	/t-1 leel2				28					
VIN YR		SSURE	394	Н.	нтеметн			_			MATER			FACILTY_TYPE				
																	REMENT	IT3A 39I
WAMCTE # 912374 WORK: GASMAINTENANCE							MEAK CLA					SEPORT #		ਬ				₽ZT J
	MORK: ORDER- TASK: TASK: 0106381-3		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			:STAG		EDEORD		365		EAK DWN:			10M30	DDRESS:		
0-[brae]	1-1829016			YSSAĐ	S-EMC	ROJECT# GAS					рекміт#			ld				igSafe/ BYD umber
				тяочая	YTI	VITOA	/ \ 7I	AQ					CE	aU€	SS	ΛEI	(E	

