CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application No. 20293	May 19 1978 Date
To the Mayor and City Council:	
	lding sewer and/or drain be laid for the premises at
	Hill Road m. s.
	at of whatandt
to connect with the sewer/drain	t and the surface repaired as directed by the Commissioner of
	he office of the City Treasurer all cost of performing the above a excess of the deposit made herewith, within 10 days after the
to the payment of the cost of pe	d that the deposit made with this application shall be applied erforming the work done, and that any excess of deposit over the the City Treasurer.
Witness Willamant	a Jany Janallan
	Signature of Property Owner Acushut, M. 867 Middle RD. 999 Address Telephone No.
	Plumber's Name
Requires separate entrance	
for roof water	Address
Permits can be issued to it the Commissioner of Public Wo him concerning the quality and	industrial and/or Commercial Applicants: industrial and/or commercial applicants only upon receipt by orks of such supplemental information as may be required by quantity of the proposed wastewater discharge.
This information was subn	nitted by
and approved by the Commissi	ioner of Public Works on
approved by the commission	Date
	Commissioner of Public Works
	Office of Commissioner of Public Works, 5/2/8 I laying the building sewer and/or drain described in the above
application is	
Aggagad	yakes trais Only
Entrance charges	Total deposit required
	Commissioner of Public Works
	Certificate of Issue
	Office of City Clerk,
The above application, a	accompanied by City Treasurer's receipt presented this day;
	was issued, and the Commissioner of Public Works
notified of the same.	
	City Clerk
Laid from main in street to property Owner agrees to supply all necessary m	line. vater-

cherete way an artic

POR A SECURE DO CONTRACTOR DE LA CONTRAC

				18.27 16.200	Wy Delication
	and the second s				
			report to an a		
			The decision of		
		- B		The second second	
Francisco de como de como de la como de la como de com	For the second second			المراجعية المثالث المثالث المام المثالث المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراج	Marie Committee

Burne to Mintellities I

on the selection of the same and the same and the selection of the selecti

14 state 2010

of the second species of the second s

D. W. WHITE Construction, Inc.

867 MIDDLE ROAD - ACUSHNET, MASS. 02743

Earth Moving Land Clearing Grading Loam Fill Gravel
City of New Bedford May 1978
- authorize Gong Szyndlar To Sizin
Con Permits and Street obstucher point
for property tocated on Idriller Hill
87.

D. W. WHITE the stronger Inc.

Date

Permit No.

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

A. Archite	ect's floor plan showing proposed connections to building drain (inside building):
B. Archite	ect's detail drawings of any pretreatment or equalization equipment:
C. Site pla	an showing:
(1) (2) (3) (4) (5)	Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain Location of control manhole
	(Standard type — preferably between property line and public sewer.)
D. Waster	water Information: Date: 3-24-78
(1)	Name of firm: SERGIOS FOOD ENT. Juc.
(2)	Address TARKLIN HILL RD.
(3)	Name and title of person completing form. (company representative):
	TOBEY L. GASPAR PRES + TREAS.
(4)	Industry type (SIC Number):
(5)	Number of Employees:
(6)	Principal products manufactured, produced, processed or sold:
(0)	FROZEN PIZZA Y OTHER FROZEN PRODUCTS
(7)	
(7)	Sources of water supply: Municipal
(8)	Estimated volume of water to be used per day:gallons.
(9)	Flow gauges in plant influent effluent.
(10)	Water consumed in processes:%.
(11)	Recycled water:%.
(12)	Cooling water: %.
(13)	Number of operating days per week:
(14)	Number of shifts per day:
(15)	Type of discharge: continuous batch.
(16)	If batch per shift.
(17)	Estimated volume of wastewater discharged daily gallons.
(18)	Wastewater abatement practices to be used:
	(a) Process changes:
	(b) Changes in raw materials:
	(c) Recycling methods:
	(d) Wastewater treatment equipment:
	(e) Monitoring devices:
	(f) Sampling and testing procedures:
(19)	Expected constituents of final wastewater discharge:
	(a) pH mg/.
	(b) Grease/Oilmg/l
	(c) COD mg/l (f) Color mg/l
	(rept of

Signature of Property Owner