CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application No 20328	Left 201978
	/ Date
To the Mayor and City Council:	
	ding sewer and/or drain be laid for the premises at
	ey dd e.s.
9	
to connect with the sewer/drain	instreet,
	and the surface repaired as directed by the Commissioner of
	he office of the City Treasurer all cost of performing the above excess of the deposit made herewith, within 10 days after the
	d that the deposit made with this application shall be applied erforming the work done, and that any excess of deposit over the the City Treasurer.
Witness V Kowarth	· Sleeppe Firms de
	Signature of Property Owner
	In family prince on the newport RI
	Address Telephoné No.
	Plumber's Name
	Trumber's Ivanie
Requires separate entrance for roof water	Address
Permits to I	ndustrial and/or Commercial Applicants:
him concerning the quality and This information was subm	rks of such supplemental information as may be required by quantity of the proposed wastewater discharge. nitted by
Est	timate and Deposit Requirement
	Office of Commissioner of Public Works, Sept 201978
My estimate of the cost of	laying the building sewer and/or drain described in the above
application is 253	
Assessed	
Entrance charges	Total deposit required
	Commissioner of Public Works West
	Certificate of Issue
	Office of City Clerk, 9-30-78
The above application, a	ccompanied by City Treasurer's receipt presented this day;
	328 was issued, and the Commissioner of Public Works
notified of the same.	David R. Welson City Clerk
	Dams UC, Melson
Laid from main in street to property	line.
Owner agrees to supply all necessary m ials and	ater-

matched by March and March

The state of the s
the community of the first and the same of the state of the same o
nue estadon de destro de desergión estados estados estados en como de contrator de contrator de la compansión
age tropic as the dignal coordinate to grow a design day from the rest of the following of the first of the f
the meaning of the second seco
The second state of the second
en a litoreta la comenzación de la colore de constituidad de la colore de la colore de la colore de la colore d
Politica de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la
III., II. II
the magnetistic of all and the control of the contr
Control of the second of the s
to first the second supplied as the second supplied to the second supplied to the second supplied to the second

Permit No. 20328

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

/	A. Archite	ect's floor plan showing proposed connections to building drain (inside building):
_	B. Archite	ect's detail drawings of any pretreatment or equalization equipment:
	C. Site pl	an showing:
	(1)	Building and location of building sewer
	(2) (3)	Proposed connection to public sewer Profile of building sewer
	(4)	Plan and profile of storm drain if USED
	(5)	Location of control manhole
		(Standard type — preferably between property line and public sewer.)
		water Information: Date: 9-12-77
	(1)	Name of firm: SKIPPER FISHIRES
	(2)	Address HASSEY ST
	(3)	Name and title of person completing form. (company representative):
		VOR-41 BOLDIECK
	(4)	Industry type (SIC Number):
	(5)	Number of Employees: 20
	(6)	Principal products manufactured, produced, processed or sold:F15/7
		The state of the s
	(7)	Sources of water supply: Municipal
	(8)	Estimated volume of water to be used per day: 2,000 gallons.
	$-\frac{(8)}{(9)}$	Flow gauges in plant meTeR influent effluent.
	(10)	Water consumed in processes: 2,000.
	(11)	Recycled water:%.
	(12)	Cooling water:
	- (13)	Number of operating days per week:
	(14)	Number of shifts per day:
	-(15)	Type of discharge: continuous batch.
	(16)	If batchper shift.
	(17)	Estimated volume of wastewater discharged daily gallons.
	(18)	Wastewater abatement practices to be used:
		(a) Process changes:
		(b) Changes in raw materials:
		(c) Recycling methods:
		(d) Wastewater treatment againment.
		(d) Wastewater treatment equipment:
		(-) 3f -: 1 ·
		(e) Monitoring devices:
		(a) a 1
		(f) Sampling and testing procedures:
	(19)	Expected constituents of final wastewater discharge:
		(a) pH mg/l
		(b) Grease/Oil mg/l (e) S. S. mg/l
		(c) C O Dmg/l
	(20)	Joseph Boldiga Poris 9-12-78

Carrier of the state of the sta