

CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application No 20491

12/27/79
Date

To the Mayor and City Council:

I hereby request that a building sewer and/or drain be laid for the premises at South side Maxfield Street between Pleasant Street and Purchase Street to connect with the sewer/drain in Maxfield street, the same to be laid in the street and the surface repaired as directed by the Commissioner of Public Works.

I hereby agree to pay at the office of the City Treasurer all cost of performing the above work in the manner specified, in excess of the deposit made herewith, within 10 days after the completion of the work.

It is understood and agreed that the deposit made with this application shall be applied to the payment of the cost of performing the work done, and that any excess of deposit over the cost shall be returned to me by the City Treasurer.

Witness D. Chmura

Robert R. B. B. B.
Signature of Property Owner

403 County St.
Address

N.B.M.A. 9971766
Telephone No.

Plumber's Name

Requires separate entrance
for roof water

Address

Permits to Industrial and/or Commercial Applicants:

Permits can be issued to industrial and/or commercial applicants only upon receipt by the Commissioner of Public Works of such supplemental information as may be required by him concerning the quality and quantity of the proposed wastewater discharge.

This information was submitted by.....
Signature of Applicant (owner)

and approved by the Commissioner of Public Works on
Date

Commissioner of Public Works

Estimate and Deposit Requirement

Office of Commissioner of Public Works, 12/27/79

My estimate of the cost of laying the building sewer and/or drain described in the above application is

Assessed

Entrance charges

Total deposit required \$30.00

Insp. Only - Contractor to perform all work.

George H. Brightman
Commissioner of Public Works ddl

Certificate of Issue

Office of City Clerk, 12/27/79

The above application, accompanied by City Treasurer's receipt presented this day; whereupon Permit No. 20491 was issued, and the Commissioner of Public Works notified of the same.

Janice A. Davidian
City Clerk ddl

Laid from main in street to property line.
Owner agrees to supply all necessary materials and transmission pipe.

Insp. Only - Contractor to perform all work.

Permit No. 20491

CITY OF NEW BEDFORD
DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or
Industrial Firms in Addition to Issuance of Sewer Entrance Permit

- A. Architect's floor plan showing proposed connections to building drain (inside building):
B. Architect's detail drawings of any pretreatment or equalization equipment:
C. Site plan showing:

- (1) Building and location of building sewer
(2) Proposed connection to public sewer
(3) Profile of building sewer
(4) Plan and profile of storm drain
(5) Location of control manhole
(Standard type — preferably between property line and public sewer.)

D. Wastewater Information:

Date: 1/2/80

- (1) Name of firm: Roger R Lacoste
(2) Address: 403 County St.
(3) Name and title of person completing form. (company representative):
ROGER R LACOSTE DMD. PRES.
(4) Industry type (SIC Number): Professional office
(5) Number of Employees: 6
(6) Principal products manufactured, produced, processed or sold: NA

- (7) Sources of water supply: Municipal ☒ Well ☐
(8) Estimated volume of water to be used per day: 1099 gallons.
(9) Flow gauges in plant ☐ influent ☐ effluent.
(10) Water consumed in processes: NONE %.
(11) Recycled water: NA %.
(12) Cooling water: NA %.
(13) Number of operating days per week: NA
(14) Number of shifts per day: NA
(15) Type of discharge: ☐ continuous ☐ batch.
(16) If batch ☐ per shift.
(17) Estimated volume of wastewater discharged daily 1099 gallons.
(18) Wastewater abatement practices to be used:

- (a) Process changes: _____
(b) Changes in raw materials: _____
(c) Recycling methods: _____
(d) Wastewater treatment equipment: _____
(e) Monitoring devices: _____
(f) Sampling and testing procedures: _____

(19) Expected constituents of final wastewater discharge:

- | | |
|------------------------------|-------------------------------|
| (a) pH <u>8</u> | (d) Cl Req'm't. <u>X</u> mg/l |
| (b) Grease/Oil <u>X</u> mg/l | (e) S. S. <u>X</u> mg/l |
| (c) COD <u>X</u> mg/l | (f) Color <u>X</u> mg/l |

(20) Roger Lacoste
Signature of Property Owner

Date

DENTAL OFFICES.

CITY OF NEW YORK

IN SENATE, JANUARY 14, 1896.

REPORT OF THE COMMISSIONER OF THE LAND OFFICE,
IN ANSWER TO A RESOLUTION PASSED BY THE SENATE,
MAY 1, 1895.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,
1896.

NEW YORK: 1896.

THE COMMISSIONER OF THE LAND OFFICE,

ALBANY, N. Y.

1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

ALBANY: J. B. LIPPINCOTT & COMPANY, PRINTERS,

1896.

NEW YORK: 1896.

CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application No 20492

12/27/79
Date

To the Mayor and City Council:

I hereby request that a building sewer and/or drain be laid for the premises at South side Mayfield Street between Pleasant Street and Purchase Street to connect with the sewer/drain in Mayfield street, the same to be laid in the street and the surface repaired as directed by the Commissioner of Public Works.

I hereby agree to pay at the office of the City Treasurer all cost of performing the above work in the manner specified, in excess of the deposit made herewith, within 10 days after the completion of the work.

It is understood and agreed that the deposit made with this application shall be applied to the payment of the cost of performing the work done, and that any excess of deposit over the cost shall be returned to me by the City Treasurer.

Witness W. H. H. H. George H. Brightman
Signature of Property Owner

403 Cambridge St. N.B. 976-3131
Address Telephone No.

Plumber's Name

Requires separate entrance
for roof water

Address

Permits to Industrial and/or Commercial Applicants:

Permits can be issued to industrial and/or commercial applicants only upon receipt by the Commissioner of Public Works of such supplemental information as may be required by him concerning the quality and quantity of the proposed wastewater discharge.

This information was submitted by.....
Signature of Applicant (owner)

and approved by the Commissioner of Public Works on
Date

Commissioner of Public Works

Estimate and Deposit Requirement

Office of Commissioner of Public Works, 12/27/79

My estimate of the cost of laying the building sewer and/or drain described in the above application is

Assessed
Entrance charges Total deposit required \$30.00

Insp. Only - Contractor to perform all work,

George H. Brightman
Commissioner of Public Works dl

Certificate of Issue

Office of City Clerk, 12/27/79

The above application, accompanied by City Treasurer's receipt presented this day; whereupon Permit No. 20492 was issued, and the Commissioner of Public Works notified of the same.

Janice A. Davidian
City Clerk dl

Laid from main in street to property line.
Owner agrees to supply all necessary materials and transite pipe.

Insp. Only - Contractor to perform all work,

1910

THE UNIVERSITY OF CHICAGO PRESS
PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILL.
1910

THE UNIVERSITY OF CHICAGO PRESS
PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILL.
1910

THE UNIVERSITY OF CHICAGO PRESS
PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILL.
1910

Permit No. 20492

CITY OF NEW BEDFORD
DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or
Industrial Firms in Addition to Issuance of Sewer Entrance Permit

- A. Architect's floor plan showing proposed connections to building drain (inside building):
- B. Architect's detail drawings of any pretreatment or equalization equipment:
- C. Site plan showing:
- (1) Building and location of building sewer
 - (2) Proposed connection to public sewer
 - (3) Profile of building sewer
 - (4) Plan and profile of storm drain
 - (5) Location of control manhole
(Standard type — preferably between property line and public sewer.)

D. Wastewater Information:

Date: 1/2/80

- (1) Name of firm: PETER J. SCHUESSLER
- (2) Address: 403 County St.
- (3) Name and title of person completing form. (company representative):
Peter J. Schuessler DMD Pres
- (4) Industry type (SIC Number): NA
- (5) Number of Employees: 12A 8
- (6) Principal products manufactured, produced, processed or sold: NA
- (7) Sources of water supply: Municipal ✓ Well _____
- (8) Estimated volume of water to be used per day: 1024 gallons.
- (9) Flow gauges in plant _____ influent _____ effluent.
- (10) Water consumed in processes: NO %.
- (11) Recycled water: _____ %.
- (12) Cooling water: _____ %.
- (13) Number of operating days per week: _____
- (14) Number of shifts per day: _____
- (15) Type of discharge: _____ continuous _____ batch.
- (16) If batch _____ per shift.
- (17) Estimated volume of wastewater discharged daily 1024 gallons.
- (18) Wastewater abatement practices to be used:
 - (a) Process changes: _____
 - (b) Changes in raw materials: _____
 - (c) Recycling methods: _____
 - (d) Wastewater treatment equipment: _____
 - (e) Monitoring devices: _____
 - (f) Sampling and testing procedures: _____
- (19) Expected constituents of final wastewater discharge:

(a) pH _____	(d) Cl Req'm't. _____ mg/l
(b) Grease/Oil _____ mg/l	(e) S. S. _____ mg/l
(c) COD _____ mg/l	(f) Color _____ mg/l

(20) Peter J. Schuessler
Signature of Property Owner

1-16-80
Date

DENTAL OFFICES.

February 5, 1980

In consideration of the City of New Bedford permitting

Roger R. Lacoste D.M.D. 403 County Street, New Bedford, Mass. 02740Peter Schuessler D.M.D. 403 County Street, New Bedford, Mass. 02740to make connection to a public sewer, the said parties hereto,
their heirs and/or assigns, being owners of property located atPARCEL 10 LOT A City of New Bedford Redevelopment Authority Purchase & Maxfield ST.PARCEL 10 LOT B City of New Bedford Redevelopment Authority Pleasant & Purchase ST.

do hereby agree to bear jointly the cost of maintaining the private sewer serving the above described properties, from the point where the individual building sewers combine into a single pipe to the point where said single pipe enters into the public sewer. However, in cases in which the location requiring maintenance is found to be behind or above the point of connection of one or more of the above described individual building sewers, the cost shall be borne jointly by those remaining property owners which have joint use of the private sewer at such location.

WITNESS TO ALL:

John Herbert

OWNERS INVOLVED:

Roger R. Lacoste
Peter Schuessler

COMMONWEALTH OF MASSACHUSETTS

Bristol, ss


New Bedford February 5, 1980

Then personally appeared the above named Roger R. Lacoste D.M.D.and Peter Schuessler D.M.D.

and made oath that the above is their free act and deed, before me

John Herbert
Notary Public

My commission expires 3/5/82



received & recorded

Feb. 15 1980 at 2 hrs. 47 min. P.M.

Attest:

John E. Jones Register

