CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application Nº 20695	10-8-82
	Date
To the Mayor and City Council:	
I hereby request that a build	ling sewer and/or drain be laid for the premises at
MENUE TICHON	BLUD, 8 SIDE, W. OF BULKHEAD
7	
the same to be laid in the street Public Works.	in HERVE TICHON BLUE, street, and the surface repaired as directed by the Commissioner of
I hereby agree to pay at the work in the manner specified, in a completion of the work.	e office of the City Treasurer all cost of performing the above excess of the deposit made herewith, within 10 days after the
to the payment of the cost of per cost shall be returned to me by the	that the deposit made with this application shall be applied forming the work done, and that any excess of deposit over the he City Treasurer.
Witness Tell Bruker -	Roy Enoblow.
101000	Signature of Property Livings
	54 Wright Sh.
	Address Telephone No.
	Dissolution Name
	Plumber's Name
Requires separate entrance for roof water	Address
Permits to In	dustrial and/or Commercial Applicants:
the Commissioner of Public Work him concerning the quality and of	dustrial and/or commercial applicants only upon receipt by ks of such supplemental information as may be required by quantity of the proposed wastewater discharge. tted by Roy Crobson.
This information was submi	Signature of Applicant (owner)
and approved by the Commission	ner of Public Works on
	Doto
	Jungo R Brightway Commissioner of Public Works
	Commissioner of Abric Works —
Esti	mate and Deposit Requirement
	Office of Commissioner of Public Works, 10-T-82
application is	aying the building sewer and/or drain described in the above
Assessed	- w
Entrance charges	Total deposit required
	Total deposit required
	Commissioner of Public Works
	Certificate of Issue
	Office of City Clerk,/8 - 4 - 4 - 2
The above application, ac	companied by City Treasurer's receipt presented this day;
whereupon Permit No. 2069	was issued, and the Commissioner of Public Works
notified of the same.	
	Janin Daudien
	City Clerk
Laid from main in street to property li Owner agrees to supply all necessary mat ials and	eet-



20695

Sept. 28, 1982

Cape Building Systems Inc. 13 Industrial Dr. Mattapoisett, Mass. 02739

Re: Whaler Realty Co., Inc.

To Whom it may Concern;

Whaler Realty Co. gives its permission to Cape Building Systems to apply for all necessary permits for installation of water and sewage.

Roy Enoksen, Pres.

Whaler Realty Co., Inc.

1000 C . C . 3

LATER OF THE STREET

company to the company of

The second of contracting particles and the second of the

John The median of the State of the State of

- ---

.

.

Permit No. 20695

CERET LORANGER
758-8597
758-4596

Date

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

Α.	Archite	ct's floor plan showing proposed connections to building drain (inside building):		
В.	Architect's detail drawings of any pretreatment or equalization equipment:			
C.		Site plan showing:		
	(1) (2) (3) (4) (5)	Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain Location of control manhole (Standard type — preferably between property line and public sewer.)		
D.	Wastev	vater Information: Date: July 20/1987		
	(1)	Name of firm: 204 ENOKSEW		
	(2)	Address NORTH TERMINAL		
	(3)	Name and title of person completing form. (company representative): Company representative): Design co		
-	(4)	Industry type (SIC Number):		
_	(5)	Number of Employees:		
_	(6)	Principal products manufactured, produced, processed or sold: Bools repaired Scoffed controlled & Stored Well.		
	(7)	Sources of water supply: Municipal		
	(8)	Estimated volume of water to be used per day: 2,000 gallons.		
	(9)	Flow gauges in plant NONE influent wont effluent.		
	(10)	Water consumed in processes: %.		
	(11)	Recycled water:%.		
	(12)	Cooling water:%.		
	(13)	Number of operating days per week:		
_	(14)	Number of shifts per day:		
	(15)	Type of discharge: continuous batch.		
	(16)	If batch per shift.		
_	(17)	Estimated volume of wastewater discharged daily gallons.		
	(18)	Wastewater abatement practices to be used:		
		(a) Process changes: Should not have any affect		
		(b) Changes in raw materials:		
		(c) Recycling methods:		
		(d) Wastewater treatment equipment:		
		(e) Monitoring devices: Moro		
		(f) Sampling and testing procedures: Sampling manholo before entering Town slive		
	(19)	Expected constituents of final wastewater discharge:		
		(a) pH mg/l		
		(b) Grease/Oilmg/l (e) S. Smg/l		
		(c) COD mg/l (f) Color mg/l		
_	(20)	Man 7 1/1/82		

Signature of Property Owner

les in the second of the second Permit No. 20695 MODIFICATION

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

Α.	Archite	ct's floor plan showing proposed connections to building drain (inside building):	
B.	Architect's detail drawings of any pretreatment or equalization equipment:		
C.	n showing:		
	(1) (2) (3) (4)	Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain	
	(5)	Location of control manhole (Standard type — preferably between property line and public sewer.)	
D	Wester		
D.	(1)	E atame to akan a	
	(2)	Name of firm: Carter Tickon are New Before	
	(3)	Name and title of person completing form. (company representative):	
	(4)	Industry type (SIC Number):	
	(5)	Number of Employees: 20	
	(6)	Principal products manufactured, produced, processed or sold: Action of Municipal Well	
	(7)		
	(8)	Estimated volume of water to be used per day: 8000 = gallons. 3 20 tons 704	
	(9)	Flow gauges in plant work influent effluent. Water consumed in processes: 75 %. To making average 257	
	(10)	Water consumed in processes: 75 %. Ice Moking average of 25%	
	(11)	Recycled water:	
	(12)	Cooling water:	
	(13)	Recycled water:	
	(14)	Number of shifts per day:	
	(15)	Type of discharge: continuous batch.	
	(16)	If batch per shift.	
	(17)	Estimated volume of wastewater discharged daily 2,500 ± gallons.	
	(18)	Wastewater abatement practices to be used:	
		(a) Process changes: there are baskets + stranger in all floor	
		draws To remove gurry	
		(b) Changes in raw materials:	
		(c) Recycling methods:	
		(d) Wastewater treatment equipment:	
		(e) Monitoring devices: sampling markel that receives all samtary + process waster	
		(f) Sampling and testing procedures:	
	(19)	Expected constituents of final wastewater discharge:	
		(a) pH w charf (d) Cl Req'm't. mg/l	
		(b) Grease/Oil mg/l (e) S. S. more mg/l	
		(c) COD mg/l (f) Color mg/l	
	(20)	1/10 Jok V5/9/84	
	(201)	Signature of Property Owner Date	

