CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

| Application Nº 20819 | 7-17-84 |
|---|---|
| | Date |
| To the Mayor and City Council: | |
| I hereby request that a building sew | ver and/or drain be laid for the premises at |
| | |
| 2/20 7 2 - 0 | of macherther blue |
| to connect with the sewer/drain in | street, |
| Public Works. | e surface repaired as directed by the Commissioner of |
| | e of the City Treasurer all cost of performing the above of the deposit made herewith, within 10 days after the |
| to the payment of the cost of performing cost shall be returned to me by the City | |
| Witness W. Lawarth m- | Signature of Property Owner Sugardust least |
| y, seacous 4. 438 | 5 Courshiet level |
| Add | ress Telephone No. |
| C | |
| | CONTRACTO Plumber's Name |
| Requires separate entrance | Address |
| | |
| Permits to Industria | al and/or Commercial Applicants: |
| him concerning the quality and quantity This information was submitted by and approved by the Commissioner of | Public Works on |
| Estimate a | nd Deposit Requirement |
| Office | of Commissioner of Public Works, |
| My estimate of the cost of laying tapplication is | the building sewer and/or drain described in the above |
| Assessed | - Jan |
| Entrance charges | Total deposit required |
| Ce | ertificate of Issue |
| | Office of City Clerk, 7-17-74 |
| The above application, accompar | nied by City Treasurer's receipt presented this day; |
| | was issued, and the Commissioner of Public Works |
| notified of the same. | James Davilian |
| Laid from main in street to property line. Owner agrees to supply all necessary materials and | City Clerk |

CITY, OF NEW SWIFTER

SEASTER THE SEAST OF THE SEAST SEASTER SEASTER SEASTER SEASTER SEASTER SEASTER SEASTER SEASTER SEASTER SEASTER

Mrs 2 184 10.

| | and the same of th |
|---------------------------------------|--|
| | |
| | |
| | |
| | |
| | e distribuit film Annight a faire qui d'ât e e d'ât d'affiliseae de la com- distribuit de la communication |
| | |
| | |
| | |
| | |
| | |
| | EXECUTE ACCUSE |
| | make an arranged to the contract of the contra |
| | |
| | |
| | and the Market of the second and the |
| | |
| | |
| A CONTRACTOR OF THE SECOND | the manifest the influence that will be add the second off. |
| tha kee c | The interest was an increase and CK 2.2 and the |
| and the second second second | |
| 7/-11-1 | |
| | |
| a) I would | |
| The only of the state of the state of | |
| | |
| | |
| v many states | |
| | |
| 1 - 1 - 1 | |
| | |
| | |
| hat deart a | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| and with the state of the | |
| | |

. '. Fermit No. 20819

(20)

Signature of Property Owner

Date

7-17-T+

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

| | | | industrial Firms in Addition to issuance of Sewer Entrance Ferrint | |
|--|----|---|--|-------|
| | A. | Archite | ect's floor plan showing proposed connections to building drain (inside build | ing): |
| | В. | B. Architect's detail drawings of any pretreatment or equalization equipment: | | |
| | C. | Site pla | an showing: | |
| | | (1) (2) (3) (4) (5) | Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain Location of control manhole (Standard type — preferably between property line and public sewer.) | |
| | D. | Waster | water Information: Date: 7-13-2 | 59 |
| | | (1) | Name of firm: M-C FISH COMPANY | |
| | - | (2) | Address 4. 40 SOUTH STREET | |
| | | (3) | Name and title of person completing form. (company representative): CHARLES FRANKLIN | |
| | | (4) | Industry type (SIC Number): 2092 | |
| | | (5) | Number of Employees: 20 | |
| | | (6) | Principal products manufactured, produced, processed or sold: | |
| | | | FISH PROCESSING PLANT | |
| | | (7) | Sources of water supply: Municipal | |
| | _ | (8) | Estimated volume of water to be used per day:30_000 gallons. | |
| | | (9) | Flow gauges in plant | |
| | - | (10) | Water consumed in processes: %. | |
| | | (11) | Recycled water: | |
| | | (12) | Cooling water: | |
| | _ | (13) | Number of operating days per week:5 | |
| | | (14) | Number of shifts per day:1 | |
| | | (15) | Type of discharge: continuous batch. | |
| | | (16) | If batchper shift. | |
| | _ | (17) | Estimated volume of wastewater discharged daily 30,000 gallons. | |
| | | (18) | Wastewater abatement practices to be used: | |
| | | | (a) Process changes: | |
| | | | | |
| | | | (b) Changes in raw materials: | |
| | | | (c) Recycling methods: | |
| | | • | (d) Wastewater treatment equipment: | |
| | | | (e) Monitoring devices: | |
| | | | (f) Sampling and testing procedures: | |
| | | (19) | | |
| | | (10) | (a) pH(d) CI Req'm't | mg/ |
| | | | (b) Grease/Oil | |
| | | | (a) G C D (b) Color | mm/ |

