

CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application N^o 20853

Oct 19 1984
Date

To the Mayor and City Council:

I hereby request that a building sewer and/or drain be laid for the premises at

777 (Rear) Church Street

to connect with the sewer/drain in 777 (Rear) Church street,
the same to be laid in the street and the surface repaired as directed by the Commissioner of
Public Works.

I hereby agree to pay at the office of the City Treasurer all cost of performing the above
work in the manner specified, in excess of the deposit made herewith, within 10 days after the
completion of the work.

It is understood and agreed that the deposit made with this application shall be applied
to the payment of the cost of performing the work done, and that any excess of deposit over the
cost shall be returned to me by the City Treasurer.

Witness H. Howarth

Arthur L. Milhench / By Lydia Gomez

Signature of Property Owner

FOR: RAC Refrigeration
air conditioning Service Inc.

Address

777 Church St. 995-8336

Telephone No.

Brian R. Flannett

Plumber's Name

Requires separate entrance
for roof water

Address

Permits to Industrial and/or Commercial Applicants:

Permits can be issued to industrial and/or commercial applicants only upon receipt by
the Commissioner of Public Works of such supplemental information as may be required by
him concerning the quality and quantity of the proposed wastewater discharge.

This information was submitted by

Signature of Applicant (owner)

and approved by the Commissioner of Public Works on 10-19-84

Date

Robert J. Canto

Commissioner of Public Works

Estimate and Deposit Requirement

Office of Commissioner of Public Works, Oct 19 1984

My estimate of the cost of laying the building sewer and/or drain described in the above
application is

Assessed

Entrance charges

Total deposit required 50.00

Robert J. Canto

Commissioner of Public Works

Certificate of Issue

Office of City Clerk, Oct 19 1984

The above application, accompanied by City Treasurer's receipt presented this day;
whereupon Permit No. was issued, and the Commissioner of Public Works
notified of the same.

Janice A. Davidian

City Clerk

Laid from main in street to property line.
Owner agrees to supply all necessary mater-
ials and PVC SDR 35 pipe.

Inspection Only

90 2222

1898



Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

Resolved, That the Board of Health and the Board of Miscellaneous be authorized to take such action as may be deemed proper for the purpose of carrying out the provisions of the Act in relation to the regulation of the practice of medicine and surgery in this city.

FALES, LETENDRE & ZIOBRO, INC.

ENGINEERING CONSULTANTS

43 EAST GROVE STREET

P.O. BOX 249

MIDDLEBORO, MASSACHUSETTS 02346-0249

TEL. (617) 947-6277-88

September 18, 1984

Department of Public Works
Sewer Division - Room 303
New Bedford City Hall
133 William Street
New Bedford, MA 02740

Atten: Mr. William Boucher

Re: R.A.C. Office Building
Rear of 777 Church Street
New Bedford, Massachusetts

Gentlemen:


Please find enclosed two (2) copies of Drawings SD-1 thru SD-3 on the above referenced project. I believe these documents include all your requirements, as per our recent telephone conversation.

It would be greatly appreciated if your Office could review these Drawings and inform us of any revisions or additions you may require. Your earliest attention to this matter would be greatly appreciated.

The building is a 40 ft. x 30 ft., two-story structure which will have storage on the lower level and offices on the upper level. The building will have one (1) Toilet Room to accommodate four or five people. The estimated flow is 100 gallons per day of domestic waste.

If you have any questions regarding this matter, please do not hesitate to contact the undersigned.

Very truly yours,



James E. Ziobro

JEZ/mlg

Enclosures

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF CHEMISTRY

CHICAGO, ILL.

RECEIVED JAN 10 1964



REFRIGERATION •
AIR CONDITIONING SERVICES, Inc.



777 Church Street, New Bedford, Massachusetts 02745 Telephone: (617) 995-8336

October 19, 1984

City of New Bedford
Public Works Department
New Bedford, MA 02740

Attention: Mr. Bill Boucher

Gentlemen:

Prior to work being performed at 777 Church St. (rear building), we were advised that a permit to tie into the sewer must be issued from your office and the permit to cost \$50.00.

In order to expedite matters, the bearer of this letter is authorized to sign the sewer permit.

Thank you for your cooperation.

Very truly yours,



RAC SERVICES, INC.

Arthur L. Milhench

ALM:lg

THE
SCHOOL OF THE
FUTURE
IS
THE
SCHOOL OF THE
PRESENT
THAT
IS
THE
SCHOOL OF THE
PAST

THE
SCHOOL OF THE
FUTURE
IS
THE
SCHOOL OF THE
PRESENT
THAT
IS
THE
SCHOOL OF THE
PAST




SD 1

R.A.C. SERVICES - OFFICE BUILDING

SANITARY BUILDING DRAIN

SCALE: 1" = 50'

DATE: 9/19/84






SD
2

RAC SERVICES - OFFICE BUILDING
DETAIL - SEWAGE EJECTOR
PUMP & CHAMBER

SCALE: NONE
DATE: 9/19/84

- NOTES:
1. PUMP CHAMBER TO BE EQUAL TO AMERICAN PRECAST, LOW PROFILE, 1000 GALLON 4'-10" UNIT OF 4000 PSI CONCRETE & 6 X 6 NO. 10 STEEL MESH REINFORCING.
 2. ELECTRICAL WIRING BY OTHERS.
 3. SEWAGE EJECTOR SHALL BE WELL 2400 SEWERS 17 FT. HEAD AT 70 GPM, 1/2 H.P. 1750 RPM 115 V. 1- ϕ COMPLETE WITH JUNCTION BOX, MICROSWITCHES, CONTROL PANEL WITH DISCONNECT, RUNNING LIGHT & AUDIBLE ALARM.





30" MANHOLE COVER
& FRAME LEBARON #LB328-1
SET FRAME IN FULL MORTAR BED

FIN. GRADE

SEAL PENETRATIONS
WATER TIGHT

3" PVC FORCED MAIN

3" PVC

4" X H.C.I.

COAT W/ 2 COATS OF
ASPHALTUM BEFORE
BACKFILLING

PRE-CAST REINFORCED
CONC. MONOLITHIC BASE
CONC. FILL.

6" BED OF 3/4" TO 1 1/2"
CRUSHED STONE

NOTE:

PRE-CAST MANHOLE SECTIONS
TO BE MANUFACTURED IN
ACCORDANCE WITH ASTM-C-478

ADJUST TO GRADE
W/ MIN. 2 COARSE OF
SEWER BRICK SET IN FULL
MORTAR BED

PRE-CAST REINFORCED
CONC. CONE SECTION

SAFETY STEPS
STAGGER VERTICALLY

CLEANOUT PLUG & FERRULE

PRE-MOLDED O-RING

PRE-CAST REINFORCED
CONC. RISER SECTION

XH.C.I. LONG SWEEP

SEWER BRICK CHANNEL

6" OUTLET TO SAN. SEWER
IN CHURCH STREET

CHANNEL DEPTH &
WIDTH EQUAL TO
OUTLET PIPE DIAMETER
SLOPE TOP UP 2" TO
MH. SIDES


DATE: 9/19/34

SCALE: NONE

DETAIL
SANITARY MANHOLE

RAC SERVICES - OFFICE BUILDING
NEW BEDFORD, MA.


SD
3







#20853
11/17/84 L.P.W.


SD
1
R.A.C. SERVICES - OFFICE BUILDING
NEW BEDFORD, MA.
SANITARY BUILDING DRAIN
SCALE: 1" = 50'
DATE: 9/17/84





1. PUMP CHAMBER TO BE EQUAL TO AMERICAN PRECAST, LOW PROFILE, 1000 GALLON 10 UNIT OF 400 PSI CONCRETE & 6 X 6 NO. 10 STEEL MESH REINFORCING.
2. ELECTRICAL WIRING BY OTHERS.
3. SEWAGE EJECTOR SHALL BE WELL 2400 SEEMS 17 FT. HEAD AT 70 GPM, 1/2 H.P. 1750 RPM 115 V 1 ϕ - COMPLETE WITH JUNCTION BOX, MICROSWITCHES, CONTROL PANEL WITH DISCONNECT, RUNNING LIGHT & AUDIBLE ALARM.





30" MANHOLE COVER
& FRAME LEBARON #LB328-1
SET FRAME IN FULL MORTAR BED

FIN. GRADE

SEAL PENETRATIONS
WATER TIGHT

3" PVC FORCED MAIN

3" PVC

4" X H.C.I.

COAT W/ 2 COATS OF
ASPHALTUM BEFORE
BACKFILLING

PRE-CAST REINFORCED
CONC. MONOLITHIC BASE
CONC. FILL

6" BED OF 3/4" TO 1 1/2"
CRUSHED STONE

NOTE:

PRE-CAST MANHOLE SECTIONS
TO BE MANUFACTURED IN
ACCORDANCE WITH ASTM - C-478

ADJUST TO GRADE
W/ MIN. 2 COARSE OF
SEWER BRICK SET IN FULL
MORTAR BED

PRE-CAST REINFORCED
CONC. CONE SECTION

SAFETY STEPS
STAGGER VERTICALLY

CLEANOUT PLUG & FERRULE

PRE-MOLDED O-RING

PRE-CAST REINFORCED
CONC. RISER SECTION

4" X H.C.I. LONG SWEEP

SEWER BRICK CHANNEL

6" OUTLET TO SAN. SEWER
IN CHURCH STREET

CHANNEL DEPTH &
WIDTH EQUAL TO
OUTLET PIPE DIAMETER
SLOPE TOP UP 2" TO
M.H. SIDES

DATE: 9/19/84

SCALE: NONE

DETAIL
SANITARY MANHOLE

RAC SERVICES - OFFICE BUILDING
NEW BEDFORD, MA.

SD
3

