CITY OF NEW BEDFORD

APPLICATION FOR LAYING BUILDING SEWER AND/OR DRAIN SERVICE

Application Nº 20905	May 9 1985 Date
To the Mayor and City Council:	
I hereby request that a build	ing sewer and/or drain be laid for the premises at
E/ side proposed	Springfield St South of Brockton
to connect with the sewer/drain i	in wropoced Springfield street,
	and the surface repaired as directed by the Commissioner of
	e office of the City Treasurer all cost of performing the above excess of the deposit made herewith, within 10 days after the
	that the deposit made with this application shall be applied forming the work done, and that any excess of deposit over the ne City Treasurer
Witness Jan Seneshal	Hauf m Seulhamlo
TI TOTO III III III III III III III III	Signature of Property Owner
U	V 109 Worcester St 2B.
	Address Telephone No.
	Gushnet Trenching
	Plumber's Name
Requires separate entrance	1.11
for roof water	Address
Permits to In	dustrial and/or Commercial Applicants:
the Commissioner of Public World	dustrial and/or commercial applicants only upon receipt by ks of such supplemental information as may be required by quantity of the proposed wastewater discharge.
mo momaton was submi	Signature of Applicant (owner)
and approved by the Commission	ner of Public Works on
	Date
	Commissioner of Public Works
Esti	mate and Deposit Requirement
	Office of Commissioner of Public Works, May 9, 1983
	aying the building sewer and/or drain described in the above
application is 50 au	
Assessed	
Entrance charges	Total deposit required #50.00
	Robert Q Couto (D)
	Commissioner of Public Works
	Certificate of Issue
	Office of City Clerk, May 9 1985
The above application, acc	companied by City Treasurer's receipt presented this day;
	was issued, and the Commissioner of Public Works
notified of the same.	was issued, and the commissioner of I upite works
	0 = 0 0 :1:0.
Inspection Only	City Clerk
Laid from main in street to property li Owner agrees to supply all necessary mat ials and P.V.C. SAR 35 pi	ne. er-
Contractor to pery	form all work

THUE	1	. 1/2	
10100200		4.000	

TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER	
and the control of the	
. The state of the	
All the second of the second o	
the property of which is the first of the property of the processor of the processor of the processor	
emperate and a hearing of the stimup was allies and and a color of	

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

Architect's floor plan showing proposed connections to building drain (inside building): Architect's detail drawings of any pretreatment or equalization equipment: Site plan showing: Building and location of building sewer V(1) Proposed connection to public sewer \sim (2) √(3) Profile of building sewer (4) Plan and profile of storm drain Location of control manhole (5)(Standard type - preferably between property line and public sewer.) Date: 5-9-85 Wastewater Information: Name of firm: TONAN (1) Address 109 WORLESTER ST. (REAR ON SPRINGHER) Name and title of person completing form. (company representative): (3) PAUL N. GUILBEAULT OWNER (4) Number of Employees: N.A. (5)Principal products manufactured, produced, processed or sold: JUDO CLUB Sources of water supply: Municipal YES Well Estimated volume of water to be used per day: 405 50 gallons. (8) Flow gauges in plant A influent effluent. (9) Water consumed in processes: ______%. (10)Recycled water: NA %. (11)Cooling water: _______%. (12)Number of operating days per week: (13)Number of shifts per day: (14)Type of discharge: Toiler continuous batch. (15)If batch _____ MA __ per shift. (16)Estimated volume of wastewater discharged daily 40 5 5 gallons. (17)Wastewater abatement practices to be used: (18)(a) Process changes: (b) Changes in raw materials: (c) Recycling methods: (d) Wastewater treatment equipment: (e) Monitoring devices: (f) Sampling and testing procedures: (19) Expected constituents of final wastewater discharge:

(20

SANITARY SEWAGE ONL

Signature of Property Owner

(c) C O D

(b) Grease/Oil mg/1

(a) pH

5-11-85

(d) Cl Req'm't. mg/l

(e) S. S.mg/l
(f) Colormg/l

Refun 849

Refun 849

Refun 849