

CITY OF NEW BEDFORD

APPLICATION FOR CONNECTION TO PUBLIC SANITARY SEWER AND/OR STORM DRAIN



Date 5-15-86 Application No. No. 21061 The undersigned hereby requests permission to connect a building sanitary and/or storm sewer from the premises located at WASHISURN ST. S.S. 18.05 BELLEVILLE AVE., Assessors' Plot . 9.6... Lot .16..., to the public sanitary/storm sewer(s) in ... WASHIJULN ST.; the same to be installed in accordance with the terms and conditions set forth herein, and the ordinances of the City of New Bedford. Name of Property Owner: FREDERICK SATKIN O/E/A SATKIN MILLS. Tel. 999-1278 Owner's Mailing Address: 596 OKCHAND ST, N.B. OLITT If application is being submitted by other than actual property owner, indicate that person's Name:Tel. Mailing Address: and attach Letter of Authorization from Property Owner hereto. BONDED CONTRACTOR OR DRAIN LAYER MAKING INSTALLATIONTel. Name: JOINT MAINTENANCE AGREEMENT RÉQUIRED If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement hereto. PERMITS TO INDUSTRIAL AND/OR COMMERCIAL APPLICANTS Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Works of such supplemental information, including drawings, composition and quantity data, and other pertinant information as he may require. In addition, a valid Industrial User Discharge Permit issued by the City, and a valid Permit for Sewer System Extension or Connection issued by the Commonwealth of Massachusetts, Division of Water Pollution Control, shall be required for applicants wishing to discharge industrial wastes to the City's sewer system. Industrial User Discharge Permit No. Date TERMS a) Type of Pipe Required: P.V.C. S.D.L. - 3. b) Separate Sanitary and Storm connections are required where a 2 - pipe system exists in the street. c) All work must be inspected and approved by a D.P.W. Inspector, both in the street and on private property, before backfilling. d) A Filing and Inspection Fee of \$. 5.0, plus an Entrance Fee of \$ where applicable, must accompany this application. e) Other requirements: CONNECT TO EXIST S. M. H. IN SIDEWALK. S. D. I-ROM LOADING DOCK MAY GR PIPED TO SEWEN Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Works may deem necessary. Commissioner of Public Works

Signature of Property Owner Bill Darker By:

Signature of Owner's Representative

210015 27

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

JUN 9 1986

DEPT OF PUBLIC WORKS
NEW BEDFORD, MASS

Bur Boucher

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

	<u> </u>	ndustrial Firms in Addition to Issuance of Sewer Entrance Permit	
-	A. Architec	et's floor plan showing proposed connections to building drain (inside building):	
		Architect's detail drawings of any pretreatment or equalization equipment:	
	C. Site plan	n showing:	
1000 1100	-(2) $-(3)$	Building and location of building sewer Proposed connection to public sewer Profile of building sewer	
	(5)	Flan and prefix of storm drain Location of control manhole (Standard type — preferably between property line and public sewer.)	
	D. Wastew	name of firm: Satkin Mills Inc.	
	(1)	Name of firm: Satkin Mills Inc.	
	(2)	Address 596 ORCHARD ST. N.B 02744	
	(3)	Name and title of person completing form. (company representative): [REDERICK R. SATKIN - PRES.	
	(4)	Industry type (SIC Number): TEXTILE MFG. LXX	
	(5)	Number of Employees: 36	
	(6)	Principal products manufactured, produced, processed or sold: WEAVING SYNTHETIC TEXTILES	
	(7)	Sources of water supply: Municipal	
	(8)	Estimated volume of water to be used per day: 43 080 gallons.	
	— (9)	Flow gauges in plant influent effluent.	
	(10)	Water consumed in processes: %.	
	(11)	Recycled water:	
	(12)	Cooling water:	
	— (13)	Number of operating days per week:	
	— (14)	Number of shifts per day:	
	— (15)	Type of discharge: continuous batch.	
	(16)	If batch per shift.	
	(17)	Estimated volume of wastewater discharged daily 23,000 gallons.	
	(18)	Wastewater abatement practices to be used:	
		(a) Process changes:	
		(b) Changes in raw materials:	
		(c) Recycling methods:	
		(d) Wastewater treatment equipment:	
		(e) Monitoring devices:	
		(f) Sampling and testing procedures:	
	(19)	Expected constituents of final wastewater discharge:	
	(10)	(a) pH7.1 mg/l	
		(b) Grease/Oil 18.7 mg/l (e) S. S. 29.5 mg/l	
		(c) COD 146.2 mg/1 (f) Color 4254 WHITE mg/1	
		10.02() elula	
1	(20)	Signature of Property Owner Date	

9861 6 NOF DEST OF PUBLIC WURK The second of th LEEVERICK P. SATKIA - MRES.