

CITY OF NEW BEDFORD

APPLICATION FOR CONNECTION TO PUBLIC SANITARY SEWER AND/OR STORM DRAIN

Application No. Nº 21163	Date Aug. 6,1986	
The undersigned hereby requests permission to conne	ect a building sanitary and/or storm sewer from the	
premises located at MaxfieldSt. N.S. 60. + U	of Pleasant St., Assessors' Plot 58	
premises located at MaxfieldSt., N.S. 60' + W. of Pleasant St., Assessors' Plot 58 Lot 105, to the public sanitary/storm sewer(s) in Maxfield St. Street		
the same to be installed in accordance with the terms and conditions set forth herein, and the ordinances		
of the City of New Bedford.		
Name of Property Owner:	alife Realty TR) Tel. 997-4003 Rgg	
Owner's Mailing Address: 8.7. Sconticut Neck Rd. Fhun, Ma. 02719		
If application is being submitted by other than actual property owner, indicate that person's		
Name:	Tel	
Mailing Address:	.,	
and attach Letter of Authorization from Property Owner	hereto.	
BONDED CONTRACTOR OR DRAIN	LAYER MAKING INSTALLATION 993-35	
Name: Michael Andrade Address: 435 Mill St. New Bea	Hord, mai	
JOINT MAINTENANCE AG	REEMENT RÊQUIRED	
If this connection is to be part of a private service sha	red jointly with other building owners, attach copy	
of Recorded Joint Maintenance Agreement hereto.		
PERMITS TO INDUSTRIAL AND/O	R COMMERCIAL APPLICANTS	
Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Works of such supplemental information, including drawings, composition and quantity data, and other pertinant information as he may require. In addition, a valid Industrial User Discharge Permit issued by the City, and a valid Permit for Sewer		
System Extension or Connection issued by the Commonwealth of Massachusetts, Division of Water Pollution Control, shall be required for applicants wishing to discharge industrial wastes to the City's sewer system.		
Industrial User Discharge Permit No.	Date	
Comm. Mass. Sewer Conn./Ext. Permit No	Date	
TERM	A C	
a) Type of Pipe Required: PVC SOR - 3		
b) Separate Sanitary and Storm connections are required where a 2 - pipe system exists in the street.c) All work must be inspected and approved by a D.P.W. Inspector, both in the street and on private prop-		
erty, before backfilling.		
d) A Filing and Inspection Fee of \$ 50.00, plus an Entrance Fee of \$ where appl		
cable, must accompany this application.	L	
e) Other requirements: Inspection on.	<i>7.y.</i>	
Applicant agrees to abide by the above terms, as wel	-	
ford, and such other special rules as the Commissioner	of Public Works may deem necessary.	
Kathleen J. Bums av	William X. Perry. Signature of Property Owner	
By: anne Marie Trigueiro	By: Signature of Owner's Representative	
31 - 144		

,

•

·

Date

Permit No. 21163

(c) COD ...

Signature of Property Owner

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

Α.	Architect's floor plan showing proposed connections to building drain (inside building):			
В.	to the state of th			
C.	Site pla	n showing:		
	(1) (2) (3) (4) (5)	Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain Location of control manhole (Standard type — preferably between prefe	operty line and public sewer.)	
D.	Wastev	vater Information:	Date: 3-6-84	
	(1)	Name of firm: NEW BEDFORD LIGHTH	OUSE SEAFOODS, (AC.	
	(2)	Address N.W. COIL MAXFIELD & PLA	EASANT STS (MAKFIEW ST. ENTRANCE	
	(3) Name and title of person completing form. (company representative):			
		WM. H. PERRY		
	(4)	Industry type (SIC Number):		
	(5)	Number of Employees: 4-5		
	(6)	Principal products manufactured, produce		
	(7)	Sources of water supply: Municipal	Well	
	(8)	Estimated volume of water to be used per de		
	(9)	Flow gauges in plant influent	effluent.	
	(10)	Water consumed in processes:		
	(11)	Recycled water:%.		
	(12)	Cooling water:%.		
	(13)	Number of operating days per week:	7	
	(14)	Number of shifts per day:		
	(15)	Type of discharge: continuou	isbatch.	
	(16)	If batch per shift.		
	(17)	(17) Estimated volume of wastewater discharged daily 1000 gallons.		
	(18)	Wastewater abatement practices to be use	ed:	
		(a) Process changes:		
		(b) Changes in raw materials:		
		(c) Recycling methods:		
		(d) Wastewater treatment equipment:		
		(e) Monitoring devices:		
		(f) Sampling and testing procedures:		
	(19)	Expected constituents of final wastewater	discharge:	
		(a) pH	(d) Cl Req'm't mg/l	
		(b) Grease/Oilmg/l	(e) S. Smg/1	
	41.5	(c) CODmg/l	(f) Colormg/l	

= (L &

.

.

•

·