

CITY OF NEW BEDFORD

APPLICATION FOR CONNECTION TO PUBLIC SANITARY SEWER AND/OR STORM DRAIN

Dermit#21794
Application No. Nº 21657 Permit#21794 01/30/1989 Date 8-1-88
The undersigned hereby requests permission to connect a building sanitary and/or storm sewer from the
premises located at Kings. Huy, 5.5. 150'-E. of trelaster. Plot Driver
premises located at Rings Hour, 5.5. 150'-E. of Euclostere Driver Street Lot. 43., to the public sanitary/storm sewer(s) in;
Street the same to be installed in accordance with the terms and conditions set forth herein, and the ordinances
of the City of New Bedford.
Name of Property Owner: Jotomat Corp. Tel. 8/5-823-2027 Please Print Owner's Mailing Address: 205 9th 5t 770 5t Returburg, Fld. 33
Owner's Mailing Address: 205 9th St. Mo. St. Returburg, Fld. 33
If application is being submitted by other than actual property owner, indicate that person's
Name:Tel.
Mailing Address:
and attach Letter of Authorization from Property Owner hereto.
BONDED CONTRACTOR OR DRAIN LAYER MAKING INSTALLATION
Name: K. C. Kezerdes Tel. 644 -
Name: K. C. Rezerdes Tel. 644 - 3 Address: 3 Sammy 5 Jace, Associet, Ma. 027
JOINT MAINTENANCE AGREEMENT RÉQUIRED
If this connection is to be part of a private service shared jointly with other building owners, attach copy
of Recorded Joint Maintenance Agreement hereto.
PERMITS TO INDUSTRIAL AND/OR COMMERCIAL APPLICANTS
Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Works of such supplemental information, including drawings, composition and quantity data, and other pertinant information as he may require. In addition, a valid Industrial User Discharge Permit issued by the City, and a valid Permit for Sewer System Extension or Connection issued by the Commonwealth of Massachusetts, Division of Water Pollution Control, shall be required for applicants wishing to discharge industrial wastes to the City's sewer system.
Industrial User Discharge Permit No
Comm. Mass. Sewer Conn./Ext. Permit No
TERMS
a) Type of Pipe Required: PVC 5DR - 3.5
b) Separate Sanitary and Storm connections are required where a 2 - pipe system exists in the street.
c) All work must be inspected and approved by a D.P.W. Inspector, both in the street and on private prop-
erty, before backfilling.
d) A Filing and Inspection Fee of \$. 5.0 : O.O., plus an Entrance Fee of \$ where appli-
cable, must accompany this application.
e) Other requirements: Insp. Only-K. L. Rezendes to do all
work-Enter Exist M.H. in Kings Huy
Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bed-
ford, and such other special rules as the Commissioner of Public Works may deem necessary.
Kathlen J. Burs Tober Leufe Commissioner of Public Works MR Signature of Property Owner

Signature of Owner's Representative

31 - 144

Permit No. 21657

CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS

Supplementary Information Required from Commercial or Industrial Firms in Addition to Issuance of Sewer Entrance Permit

		Industrial Firms in Addition to Issuance of Sewer Entrance Permit	
(-	A. Archite	ect's floor plan showing proposed connections to building drain (inside building):	
		et's detail drawings of any pretreatment or equalization equipment:	
		an showing:	
your _	(1) (2) (3) (4)	Building and location of building sewer Proposed connection to public sewer Profile of building sewer Plan and profile of storm drain Location of control manhole (Standard type — preferably between property line and public sewer.)	
Merina!	D. Wastev	Data: 4/24/86	
rank?	(1)	Name of firm: FOTOMAT Corp - Ser HODREN FIGIOSTAL Address 206 9 5 ST W. ST. Peterbery FIA 33701	ne MAR
	(3)	Name and title of person completing form. (company representative): Don Wynot - Censt Spec,	
	(4)	Industry type (SIC Number):	
	(5)	Number of Employees:	
	(6)	Principal products manufactured, produced, processed or sold:	
	(7)	Sources of water supply: Municipal	
9	(8)	Estimated volume of water to be used per day:300 gallons.	
	(9)	Flow gauges in plant influent effluent.	
	(10)	Water consumed in processes: 7560 TO BE TRUCKED OFF. SITE IN SEALED CONTAINERS WHEN	ر
	(11)	Recycled water: %. USiN -	
ý	(12)	Cooling water:	
3	(13)	Number of operating days per week:	
Ó	(14)	Number of shifts per day:	
	(15)	Type of discharge: continuous batch.	
The state of the s	(16)	If batch per shift.	
SEW AC	(17)	Estimated volume of wastewater discharged daily gallons.	
3	(18)	Wastewater abatement practices to be used:	4
35		(a) Process changes:	7 A
5			7
SAD		(b) Changes in raw materials:	90 R
d		(c) Recycling methods:	cond.
7		(d) Wastewater treatment equipment:	OF F.
3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(e) Monitoring devices:	TART STOTO
1.		(f) Sampling and testing procedures:	5 5
V	(19)	Expected constituents of final wastewater discharge:	7
6		(a) pH mg/l	7 3
7		(b) Grease/Oilmg/l (e) S. Smg/l	ROSENT
	See The Market	(c) C O D mg/l (f) Color mg/l	2 9
	, (20)	Malant Fatentheup 7/8/80	
		Signature of Property Owner (Lous, Sueca) Date	



CITY OF NEW BEDFORD MASSACHUSETTS

DEPT. OF PUBLIC WORKS 133 WILLIAM STREET

11/23/87

Ms. Lee Chenier 205 9th Street, North St. Petersburg, Fla 33701

Dear Ms. Chenier:

In response to your question concerning acceptability of the proposed sewage discharge from the dry-process photo processing unit to be installed at your Kings Highway Photomat location, please be advised that the discharge as described is acceptable.

Yours very truly,

Kathleen J. Burns, Commissioner, DPW

sh

OKIGIHAL MAILED 11-25-87 3.

12-11