



CITY OF NEW BEDFORD

APPLICATION FOR CONNECTION TO
PUBLIC SANITARY SEWER AND/OR STORM DRAIN

Application No. No 22005

Date 3-23-90

The undersigned hereby requests permission to connect a building sanitary and/or storm sewer from the premises located at BELLEVUE AVE. W.S. N. HAYHAWAY ST. Assessors' Plot 105 Lot 113, to the public sanitary/storm sewer(s) in BELLEVUE AVE. Street; the same to be installed in accordance with the terms and conditions set forth herein, and the ordinances of the City of New Bedford.

Name of Property Owner: ARNOLD B. FERNANDES Tel. 947-7169
Please Print

Owner's Mailing Address: 6 HERITAGE HILL DR., LAKEVILLE, MA. 02347

If application is being submitted by other than actual property owner, indicate that person's

Name: _____ Tel. _____

Mailing Address: _____

and attach Letter of Authorization from Property Owner hereto.

BONDED CONTRACTOR OR DRAIN LAYER MAKING INSTALLATION

Name: NELSON CANDOSO Tel. 998-5115

Address: 12 WHITE ST., ACUSHNET, MA. 02743

JOINT MAINTENANCE AGREEMENT REQUIRED

If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement hereto.

PERMITS TO INDUSTRIAL AND/OR COMMERCIAL APPLICANTS

Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Works of such supplemental information, including drawings, composition and quantity data, and other pertinent information as he may require.

In addition, a valid Industrial User Discharge Permit issued by the City, and a valid Permit for Sewer System Extension or Connection issued by the Commonwealth of Massachusetts, Division of Water Pollution Control, shall be required for applicants wishing to discharge industrial wastes to the City's sewer system.

Industrial User Discharge Permit No. _____ Date _____

Comm. Mass. Sewer Conn./Ext. Permit No. _____ Date _____

TERMS

- a) Type of Pipe Required: PVC SDR-35
- b) Separate Sanitary and Storm connections are required where a 2 - pipe system exists in the street.
- c) All work must be inspected and approved by a D.P.W. Inspector, both in the street and on private property, before backfilling.
- d) A Filing and Inspection Fee of \$ 50.00, plus an Entrance Fee of \$ _____ where applicable, must accompany this application.
- e) Other requirements: INSP. ONLY S.D. TO BE SEPARATE CUT VIA HAYHAWAY ST.

Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Works may deem necessary.

Lawrence D. Warden
Commissioner of Public Works

Arnold B. Fernandes
Signature of Property Owner

By: Bill Boucher

By: _____
Signature of Owner's Representative

AGREEMENT

In consideration of the permission granted on the 1ST day of SEPT. 1991 by ARLINDO B. FERNANDES now or formerly of 6 Heritage Hill Drive, Lakeville, Massachusetts, his heirs or assigns, to the CITY OF NEW BEDFORD to drain excess water from a public way known as Belleville Avenue into a private catch basin owned by Arlindo B. Fernandes on the easterly edge of property owned by said Arlindo B. Fernandes shown as Plat 105 lot 113 on the Assessor's Maps of the City of New Bedford, the City of New Bedford agrees to keep said catch basin and the appurtenant private drain line passing through said Plat 105 lot 113 to the public storm drain in Hathaway Street as shown on "Revised Site Plan, ~~Baylies Square~~ ^{BELLEVILLE POINT} Plaza, Belleville Avenue, New Bedford, prepared by Olde Boston Land Survey Company - dated January 17, 1991" clear and free of obstruction.

It is further agreed that Arlindo B. Fernandes, his heirs and assigns, will protect and save and keep the City of New Bedford forever harmless and indemnified against and from any and all loss, cost, damage or expense arising out of or from any accident or occurrence causing injury to any person or property whomsoever or whatsoever as a result of draining excess water from Belleville Avenue into said private catch basin and the cleaning and freeing of the catch basin and drain line as described above.

WITNESS my hand and seal this 1ST day of SEPT 1991.

Witness



Arlindo B. Fernandes

THE COMMONWEALTH OF MASSACHUSETTS


BRISTOL, ss

New Bedford Sept 1, 1991

Then personally appeared the above-named ARLINDO B. FERNANDES and acknowledged the foregoing to be his free act and deed, before me


Notary Public

My Commission expires: April 29, 1994


Lawrence D. Worden
Commissioner
Department of Public Works




Olde Boston Engineering Co., Inc.

LAND SURVEYING · CIVIL, SANITARY AND ENVIRONMENTAL CONSULTANTS

172 William Street · New Bedford, Massachusetts 02740

Tel: (508) 997-6410 · Fax: (508) 997-9656

February 20, 1991



Mr. William Boucher
City of New Bedford
Department of Public Works
133 William Street
New Bedford, MA. 02740

RE: "BAYLIES SQUARE PLAZA"
BELLEVILLE AVENUE, NEW BEDFORD

Dear Bill,

As per your request during our telephone conversation on February 19, 1991, I am enclosing calculations on the estimated sewage flows for the above referenced project. The daily sewage flow estimates were obtained from the chart in 310 CMR 7.15 (Division of Water Pollution Control).

If you have any questions during your review of the calculations, please do not hesitate to call.

Sincerely,

Steven M. Horsfall
Project Engineer

SMH/lj

Enclosures



Olde Boston Engineering Co., Inc.

LAND SURVEYING · CIVIL, SANITARY AND ENVIRONMENTAL CONSULTANTS

172 William Street · New Bedford, Massachusetts 02740

Tel: (508) 997-6410 · Fax: (508) 997-9656

"ESTIMATED SEWAGE FLOWS" "BAYLIES SQUARE PLAZA"

EXISTING BUILDING (BURNT DOWN)
-8000 SF (OFFICE BLDG.)
-EXISTING SERVICE #14817-39
-75 GAL/1000 SF/DAY
TOTAL = 600 GAL/DAY

EXISTING BUILDING (CONC. BLOCK)
-1092 SF (OFFICE BLDG.)
-EXISTING SERVICE #14844-39
-75 GAL/1000 SF/DAY
TOTAL = 82 GAL/DAY

PROPOSED FUNERAL HOME (NOT BUILT)
-160 SEATS
-EXISTING PERMIT
-3 GAL/SEAT/DAY
TOTAL = 480 GAL/DAY

TOTAL FLOW FOR PERMITS PREVIOUSLY ISSUED = 1162 GAL/DAY


PROPOSED DOUGHNUT SHOP
-15 SEATS
-35 GAL/SEAT/DAY
TOTAL = 525 GAL/DAY


PROPOSED RETAIL SHOPS
-2000 SF (DRY GOODS)
-5 GAL/100 SF/DAY
TOTAL = 100 GAL/DAY

PROPOSED AUTO SALES (FUTURE RETAIL SHOP)
-1500 SF (OFFICE SPACE)
-75 GAL/1000 SF/DAY
TOTAL = 112.5 GAL/DAY

PROPOSED EXPANSION (RETAIL SHOPS)
-4500 SF (DRY GOODS)
-5 GAL/100 SF/DAY
TOTAL = 225 GAL/DAY

TOTAL FLOW FOR PROPOSED USES OF EXISTING PERMITS = 962.5 GAL/DAY





7-26-91

Nelson Cardoso

