



PERMIT NO.

23541

CITY OF NEW BEDFORD
SEWER AND/OR STORM DRAIN PERMITDATE 4/2/04
EXP. 4/2/05

This certifies that permission is granted to

Cumberland Farms 777 Dedham St. Canton, MA 02021 781-828-4900
Property Owner Address Tel.

To connect a sewer and/or storm drain located at Rockdale Ave. (E) btwn Kempton St. + Mill St.

Assessor's Plot 56 Lot 103, 105 AND 106, to the sewer and/or storm drain in Mill St. Sewer + Street
Kempton St Storm Drain

To be laid in accordance with the conditions in this application and the City of New Bedford ordinances.

TYPE OF USE: RESIDENTIAL COMMERCIAL INDUSTRIAL OTHER

If applicant other than actual property owner, attach Letter of Authorization from Property Owner.

Name..... Tel.....

Mailing Address.....

The Bonded Contractor/Drain Layer authorized to perform this work is:

M.P. & Sons 13 Russell Mills Rd. S. Dartmouth, MA 508-992-6609

Name Address Tel.

Type of Pipe Required: PVC SDR-35

PERMIT EXPIRES ONE YEAR AFTER DATE OF ISSUE

- Requires separate connections for sewage and storm drain where applicable. Storm water cannot be discharged to a sanitary sewer.
- All work must be inspected and approved by a D.P.I. inspector before backfilling.
- If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement.
- Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Infrastructure of required plans and supplemental information.
- In addition, a City-issued Industrial User Discharge Permit and/or a Sewer Extension/Connection Permit issued by the Commonwealth of Massachusetts D.E.P. shall be required by the City for Industrial Discharge into the sewer system.

Industrial User Discharge Permit No..... Date.....

Comm. Mass. Sewer Conn./Ext. Permit No..... Date.....

A Filing and Inspection Fee of \$150, plus an Entrance Fee of \$..... where applicable, must accompany this application.

Bank# Fleet Check# 8700 Date 4-2-04 Receipt# 4858

Other requirements: Connect to 12" Combined Sewer in Kempton St for catchbasins + 10" Sewer in Mill St, flowable fill in

all trenches also to install Water Quality Structure (Vortech) for storm water.

Connection made to Sewer Part of jointly-shared private line YES NO
Storm Drain

Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Infrastructure and/or City Engineer may deem necessary

Quante M. Andrade
Acting City Engineer mn

Signature of Property Owner or Representative

INSPECTOR'S REPORT

INSPECTED BY: Kevin J. Corell
DATE: 5-15-04
COMMENTS:

AS-BUILT ACCORDING TO PLANS

APPROVED

DISAPPROVED

Kevin J. Corell
SIGNATURE

SKETCH PLAN



PERMIT NO.
23541

CITY OF NEW BEDFORD
SEWER AND/OR STORM DRAIN PERMIT

DATE 4/2/04
EXP. 4/2/05

This certifies that permission is granted to

Cumberland Farms 777 Dedham St. Canton, MA 02021 781-828-4900
Property Owner Address Tel.

To connect ^{AND} a sewer and/or storm drain located at Rockdale Ave. (Es) btwn Kempton St. + Mill St.

Assessor's Plot 56 Lot 106, to the ^{AND} sewer and/or storm drain in Mill St. sewer + Street
Kempton St Storm Drain

To be laid in accordance with the conditions in this application and the City of New Bedford ordinances.

TYPE OF USE: RESIDENTIAL COMMERCIAL INDUSTRIAL OTHER

If applicant other than actual property owner, attach Letter of Authorization from Property Owner.

Name..... Tel.....

Mailing Address.....

The Bonded Contractor/Drain Layer authorized to perform this work is:

MFP & Sons 13 Russell Mills Rd S. Dartmouth MA 508-992-6609

Name Address Tel.

Type of Pipe Required: PVC SDR-35

PERMIT EXPIRES ONE YEAR AFTER DATE OF ISSUE

- Requires separate connections for sewage and storm drain where applicable. Storm water cannot be discharged to a sanitary sewer.
- All work must be inspected and approved by a D.P.I. inspector before backfilling.
- If this connection is to be part of a private service shared jointly with other building owners, attach copy of Recorded Joint Maintenance Agreement.
- Permits can be issued to Industrial and/or Commercial Applicants only upon receipt and approval by the Commissioner of Public Infrastructure of required plans and supplemental information.
- In addition, a City-issued Industrial User Discharge Permit and/or a Sewer Extension/Connection Permit issued by the Commonwealth of Massachusetts D.E.P. shall be required by the City for Industrial Discharge into the sewer system.

Industrial User Discharge Permit No..... Date.....

Comm. Mass. Sewer Conn./Ext. Permit No..... Date.....

A Filing and Inspection Fee of \$150....., plus an Entrance Fee of \$..... where applicable, must accompany this application.

Bank# Fleet Check# 8700 Date 4-2-04 Receipt# 4858

Other requirements: 12" Combined Sewer in Kempton St for catchbasins +
Connect to 10" Sewer in Mill St, flowable fill in

all trenches also to install Water Quality Structure (Vortech) for storm
water.

Connection made to Sewer Part of jointly-shared private line YES NO
Storm Drain

Applicant agrees to abide by the above terms, as well as all pertinent ordinances of the City of New Bedford, and such other special rules as the Commissioner of Public Infrastructure and/or City Engineer may deem necessary

Quante M. Andrade
Acting City Engineer mn

[Signature]
Signature of Property Owner or Representative

INSPECTOR'S REPORT


INSPECTED BY: _____

DATE: _____

COMMENTS: _____

APPROVED _____ DISAPPROVED _____

SIGNATURE



SKETCH PLAN



Garofalo & Associates, Inc.

Civil & Structural Engineers
Surveyors * Land Planners
Environmental Scientists

July 8, 2003

Mr. Ronald Labelle
Commissioner of Infrastructure
1105 Shawmut Avenue
New Bedford, Massachusetts 02740

**RE: Cumberland Farms
Rockdale Avenue
New Bedford, Massachusetts**

Dear Mr. Labelle:

On 7/8/03 our staff met with acting City Engineer Duarte Andrade to discuss the project and the required design parameters. During our meeting it was recommended that the project propose a tie-in of site drainage to the existing 12-inch combined sewer line in Kempton Street.

During our meeting Mr. Andrade requested that a drainage analysis be performed for the site to insure adequacy of the proposed drainage facilities during a 10-year design storm event. It was further suggested by Mr. Andrade that all storm water generated from the proposed (reconfigured) site be collected on-site and treated with a water quality structure (Vortech or similar) before discharging into the city system in Kempton Street.

It is the applicant's intention to meet all the requirements outlined above, and we are hereby requesting that the recommended drainage tie-in on Kempton Street be granted.

If you have any questions regarding this request, or require any additional information, please don't hesitate to call.

Sincerely,
Garofalo & Associates, Inc.

Nicholas J. Piampiano, P.E.
Project Manager

cc: Duarte Andrade City Engineer



04/02/2004 11:53 FAX

001



Duarte M. Andrade,
Acting City Engineer

CITY OF NEW BEDFORD MASSACHUSETTS

Engineering Department, Rm. 303
133 William Street
New Bedford, Ma. 02740
Tel: 508-979-1527
Fax: 508-961-3043

To Whom It May Concern:

James W. Scholer (Project Manager)
I Cumberland Farms/GH 777 Dedham St. Canton, MA, being
(Name) (Mailing Address)

Owner of property located at 810 Rockdale Ave.
Plot 56, Lot 106, hereby agree to allow Global Contracting Co.
(Name)
P.O. Box 143 Boston, MA to act on my behalf including affixing my
(Mailing Address)

signature in securing permit for:

☒ Sewer/Drain Service Permits
☒ Water Service Permits
☒ Driveway Installation Permits
☒ Sidewalk Installation Permits

I further agree to conform to, and abide by, All City rules and ask regulations applicable to the permit (s) being applied for:

Name James W. Scholer
Signature
777 Dedham St. Canton, MA
Address
4/2/04 (800) 225 9702
Date Telephone number
EXT. 3386