

Dec. 16, 1949

#23027

City of New Bedford, D.P.W.

Patrick J. Foley, Comm.

S.W. Cor. Front x Middle Sts.

Please install 2" City Meter &

2" Copper Service to supply pumping station.  
Med. Copper tapping gate valve

S x S Line Middle St.

E x W " Front St.

S x N " Bldg.

Laid Dec. 16-1949

42.7 ~~29.8~~

16.5 ~~8.5~~

17.7 ~~19.0~~

(Over)

|                                             |       |       |
|---------------------------------------------|-------|-------|
| 20 ft. of 2" copper tubing type K           | ----- | 21.20 |
| 1-8x8x2 tapping sleeve A.P.S.               | ----- |       |
| 1-2" Darling tapping gate valve             | ----- |       |
| 1-4" O.I. gate box (complete)               | ----- |       |
| 1-2" Brass copper to hub calking connection | ----- |       |
| 36 # Calking lead                           | ----- |       |
| 2 # Gasket                                  | ----- |       |
| Use of tapping machine                      | ----- | 5.00  |
| Carting                                     | ----- | 2.00  |
| Labor                                       | ----- | 22.53 |

Additional Measures

167 Front St.

H.B. D.P.W. Pumping Sta.

May 8, 1978

Ser. # 23027-2"

|                                |           |
|--------------------------------|-----------|
| S x Boundstone on Frontage Rd. | 110.2 ft. |
| E W line Frontage Rd.          | 8.3 ft.   |
| E x E line Bldg.               | 129.2 ft. |
| N x S line Bldg.               | 10.0 ft.  |

Measures taken by A. Camara

ATT: Leo

