

376 Station St.
Cranston 10, R.I.

Setp. 27, 1957

#25272 Pine & Hoffman Inc.
W.S.#671 Acushnet Ave., N x
Pearl St.(opp. Seneca)

Please install 6" Fire Supply
(C.I.C.L.) Service to supply store & warehouse.

Measure of 6" Tapping Gate:

S x S line Seneca Street 28.3

E x W " Acushnet *Avenue* 12.3

Main is 14 ft. E x W line

Work done September 25, 26, 27, 1957

(over)

32.1 ft. of 6" C. I. cement lined pipe.....	\$	
1-12"x12"x6" tapping sleeve - A. P. Smith.....	\$	
1-6" Tapping gate valve - Darling.....	\$	
1-6" C. I. gate box, complete #224 lbs.....	\$	
1-6" Offset, B & S, 28" long, 12" center to center - Builder's Pattern.....	\$	
1-6" Offset, B & S, 4 ft. long, 12" center to center - W. H. E.....	\$	
1-6" cast iron plug.....	\$	
24 lbs. leadite.....	\$	
1 1/2 lbs. braided jute.....	\$	
Gravel.....	\$	5.—
1 street cut: 5½' x 3' Warrenite, Hanson Pav- ing and concrete.....	\$	
Tapping machine use.....	\$	13.—
See Service #25257 for other charges		

#25272-6"
TAPPING
SLEEVE


TAPPING
GATE

28" offset
BUILDER'S Pattern

48" offset, W.W.E.

8.0 ft. of C.I.
CEM. LIN
PIPE

11.7 ft. of
C.I. CEM. LIN.
PIPE



The remainder of the 6" cast iron cement lined pipe was left on the job to be installed by the taker.

