

3 Church St., N.B.

May 24, 1971

#28436

Harmon Realty & Trading Corp.

SW cor. Church St. & Collette St.

Please install Fire Supply 8" C.L.C.I. service
to supply our plant. Service from Church St.

Measures of 8" Tapping Gate Valve:

N x S line Collette Street 13.0


E x W " Church Street 17.3

Main to line (Church St.) is 18'

House to box 17.3'

Work done July 21 & 22, 1971

38' of 8" Cast Iron Pipe - 18' out. 20' inside
 18' of 8" C. I. C. L. Tyton-Ductile *DUCTILE*
 @ 4.01 ft. \$ 72.18
 20' of 8" C. I. C. L. Tyton @ 3.90' . . . \$ 78.00
 1-8" A.P.S. Tapping Sleeve \$ 00.64
 1-8" Darling 9-R Tapping Gate Valve. \$156.00
 1-8" C. I. Gate Box, complete - 245 lbs. \$75.97
 1-8" Solid Sleeve. \$29.40
 1-1" 8" Bend, B & S, C. L. S. P. \$38.15
 A.P. Smith Tapping machine use \$40.00
 Carting. \$20.00
 Loader use: 2 hrs. @ 7.00 hr. \$14.00
 Compressor use: 2 hrs. @ 6.00 hr. \$12.00
 30 lbs. Mineralead @ .24# \$ 7.20
 1 1/2 lbs. Asbestos Yarning @ 2.28 lb. \$ 3.42
 1 Street cut: 44' x 2 1/2' Warrenite
 (continued) @ 1.78 L. Ft. + 5.00 . . . \$83.32



Service No. 28436 -8"

1 sidewalk cut: 10' x 2½' dirt. . .	N/C
Labor.	\$ 230.10
Supervision.	\$ 46.02
	\$ 996.40

OK mt