

c/o Jay L. Horowitz, Esq; 26 Seventh St.

#29870

July 22, 1980

Harbor, Inc.

N.S. Sassaquin Ave., W. x Acushnet Ave.

Please install 6" CIGL FIRE SUPPLY to supply Intermediate Care Facility. Work to be done by Southeastern Contracting & Engineering (Bills to them) Service from Sassaquin Ave.

Measures of 6" Met. Tapping Gate Valve:

E x W line Morton Ave. 278.0 ft.

S x N line Sassaquin Ave. 22.3 ft.

Main is 24 ft. N x S line.

Work done August 7, 1980

D.W. White Const.

137

Milson Eng. installed & supplied all stock

Sumner & Dunbar tapped the main.

8" x 8" x 6" Dresser Tapping Sleeve, Mech.

6" Met. Tapping Gate Valve, Mech.

37.4 ft. - 6" C.I.C.L. Ductile Pipe

1 - #10 Caldwell Gate Box, complete

1 - 6" 22½" Bend, Mech.

DW White dug, backfilled & will maintain trench.

Insp. A. Camara	2 hrs.	\$	12.65
-----------------	--------	----	-------

Turn on Charge		\$	<u>7.50</u>
----------------	--	----	-------------

		\$	20.15
--	--	----	-------

N.S. Sassaquin Ave. W x Acushnet Ave.

#29870 - 6" Fire Supply

Measures of 8" x 6" Dresser Tapping Sleeve, Mech

E x W line Morton Ave. 278 ft.

S x N line Sassaquin Ave. 24 ft.

Measures of 6" 22½° Bend, Mech.

E x W line Morton Ave. 278 ft.

S x N line Sassaquin Ave. .05"

over

SASSAQUIN

THE
MAIN

8" x 8" x 6"
TRAPP. SLEEVE
6" TRAPP. GATE VALVE

18 FT. - 6" CICK
DUCTINE

1.4 FT. - 6" CICK
DUCTINE

6" - 22 1/2" BEND, ARCH

18 FT. - 6" CICK
DUCTINE PIPE

PROP. LINE

28