

WW-18-5
SERVICE 33977

NEW BEDFORD WATER WORKS
APPLICATION FOR SERVICE AND METER
NEW BEDFORD 1/16/18

Expires 1/16/19

I HEREBY ACKNOWLEDGE the receipt of a copy of the Regulations prescribed in the Ordinance of the City, for the use of Water, and I request that the water may be furnished through a

3/4" inch Copper meter at Old Mainville Rd (S.S.)
818' W x Leboeuf St

at such rates as may from time to time be established by the City.

I hereby agree to pay promptly the bill for the Service pipe laid down for my premises, and to pay all dues for water, and I agree to conform to the said Regulations and to all provisions of the Water Ordinances, until written notice is given by me or my agent to cut off the supply.

Gene Excavator P. 124
Z. 173.

Monald Olivera

Using Septic system

TELEPHONE (508) 733-5931 5 Archer's way
Acushnet MA 02743

Service laid Size and kind of pipe

From St.

Turned on Meter Set

Reading Location

Building rates Paid

Cost of Service \$500.00 chkd 4830 Paid

31-727

W x W Line Leboeuf St	856.0'
W x hydrant #5-499	143.4'
N x S Line	4.8'
E x W Line	12.6'
W x E Line	24.6'
N x N Line	49.0'
S x N Line Old Plainville Rd	5.0'
Pipe inside property	44.0'
S x N Line Old Plainville Rd	5.0'

6" PVC gas main 4.5' S x Curb stop

9/4/2018: New Service installed, Contractor
Arne Excavating, Inspector Manuel Rose

Picked up couplings

12/10/18



DISPLAY PERMIT IN A CONSPICUOUS PLACE ON THE PREMISES



Commonwealth of Massachusetts

City of New Bedford

133 William Street New Bedford, MA 02740

SEWER PERMIT



Date: 2/7/2018

No. WW-18-7

Sewer Connection Fee: \$450.00

Pipe Size: 0.00

Trench Length: 0.00

Service Location: WS AVA'S WAY

Owner Name: MICRO REALTY PARTNERS LLC

Type of Occupancy: Residential

Type of Work: Sewer - New Sewer Service

Work Description: service 24556

P.138
L. 493

Ava's Way NS 74' E x Cardinal St
connecting into avas way

No. of Units : 0

Required Design Daily Flow : 0.00

Provided Daily Flow : 0.00

The undersigned petitions you to grant permission to ENTER INTO THE MAIN SEWER and, if such permission is granted, hereby agrees to the following:

1. To abide by the conditions and regulations imposed by the Commissioner of Public Works by statute or by ordinance now in force, or as amended from time to time.
2. That the connection of said sewer with the main sewer shall be inspected by an employee of the department of Public Works or by a designated agent of the Town before burial of said connection.
3. That the work shall at all times be under the direction and control of the Commissioner of Public Works or his authorized agent, and that any expense incurred by the Town shall be charged to the permittee, and said permittee agrees to reimburse the Town for said expense.

Installing Company Name: _____

License Type: _____

Address: _____ City/Town/State: _____

Call (781) 942-9077 For Inspection

No. 17-03

COMMONWEALTH OF MASSACHUSETTS

Board of Health, New Bedford, MA.

DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permission is hereby granted to; Construct(☒) Repair() Upgrade() Abandon() an individual at Plan lot 1 map 124 lot 172 Old Plainville Rd as described

Disposal System Construction Permit No. 17-03, dated _____.

Provided: Construction shall be completed within three years of the date of this permit. All local

Form 1255 Rev. 5/96 A.M. Sulkin Co. Boston, MA

Date 4/7/17 Board of Health Sandra

No. 17-04

THE COMMONWEALTH OF MASSACHUSETTS

New Bedford BOARD OF HEALTH

DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permission is hereby granted to Construct (☒) Repair () Upgrade () Abandon () disposal system at Old Plainville Rd lot 2 map 124 lot 173

in the application for Disposal System Construction Permit No. 17-04, dated _____.

Provided: Construction shall be completed within three years of the date of this permit. All local

Date 4/7/17 Board of Health Sandra

FORM 2 - DSCP

DEP APPROVED FORM 5/96

FORM 1255 (REV 5/96)

H&W HOBBS & WARREN™

PUBLISHERS - BOSTON

No. 17-05

COMMONWEALTH OF MASSACHUSETTS

Board of Health, New Bedford, MA.

DISPOSAL SYSTEM CONSTRUCTION PERMIT


Permission is hereby granted to; Construct(☒) Repair() Upgrade() Abandon() an individual at Plan lot 4 map 124 lot 174 Old Plainville Rd as described

Disposal System Construction Permit No. 17-05, dated _____.

Provided: Construction shall be completed within three years of the date of this permit. All local

Form 1255 Rev. 5/96 A.M. Sulkin Co. Boston, MA




Date 4/7/17 Board of Health Sandra



ZONING TABLE:

	REQUIRED	PROVIDED
FRONTAGE	75'	163.76'
LOT AREA	8,000 SF	26,427 SF.
SETBACK:		
FRONT	15'	22.8'
SIDE	8' & 12'	11.1' & 13.0'
REAR	30'	200.9'

*BASED ON ZONING AT TIME OF SUBMITAL OF DEFINITIVE PLAN, APRIL 2013.



ROOF INFILTRATION SYSTEM NOTE:
FOR 100 YEAR STORAGE
BOTTOM OF STONE = 90.0
BOTTOM OF CHAMBER = 90.5
PEAK STORAGE ELEV. = 91.65
TOP OF STONE BEDS = 93.29

DETAIL OF ROOF RUNOFF INFILTRATION SYSTEM
NOT TO SCALE

GENERAL NOTES:

1. THE SUBJECT PROPERTY IS SHOWN AS LOT 493 ON THE CITY OF NEW BEDFORD ASSESSORS' MAP 138.
2. THE SUBJECT PROPERTY IS SHOWN AS LOT 2 ON A DEFINITIVE SUBDIVISION PLAN ENTITLED "CARDINAL PLACE" ON RECORD AT THE BRISTOL COUNTY REGISTRY OF DEEDS (S.D.) AT PLAN BOOK 172, PAGE 20.
3. THE SUBJECT PROPERTY IS LOCATED IN ZONE X, AREA OF MINIMAL FLOODING, AS SHOWN ON THE FLOOD INSURANCE RATE MAP (F.I.R.M.) OF BRISTOL COUNTY, MASSACHUSETTS, MAP NUMBER 25005C0377F, EFFECTIVE DATE JULY 7, 2009.

CONSTRUCTION NOTES:

1. THE PROPOSED WATER SERVICE IS TO BE 1" COPPER.
2. THE PROPOSED SEWER SERVICE IS TO BE 6" SDR-35 PVC.
3. CONTRACTOR TO VERIFY ALL UTILITY LOCATIONS PRIOR TO CONDUCTING ANY WORK.

LEGEND:

PROP. 1" COPPER WATER SERVICE	---
PROP. 6" SEWER SERVICE	---
EXISTING CONTOUR	100
PROP. CONTOUR	100

SCALE: AS SHOWN DATE: 8/28/17 DRAWN BY: TRW CHECKED BY: RJR APPROVED BY: RJR

PROPOSED BUILDING PERMIT PLAN

PROJECT: LOT 2 AVA'S WAY
NEW BEDFORD, MASSACHUSETTS


CLIENT: RON OLIVEIRA
ACUSHNET, MASSACHUSETTS

CIVIL ENGINEERING
LAND SURVEYING
ENVIRONMENTAL ASSESSMENT

PRIME ENGINEERING
INC.

P.O. BOX 1088
LAKEVILLE, MA 02347
TEL: 508.947.0050
FAX: 508.947.2004

PROJECT NO: 1931-0101 SHEET NO: 1 OF 1 LAST REVISED: 12/19/17



GENERAL NOTES

** REFER TO ORIGINAL BUILDING PERMIT PLAN AND SEPTIC DESIGN PLANS ON FILE AT CITY DPI. THE INTENT OF THIS PLAN IS TO SHOW WATER CONNECTIONS TO THE NEWER WATER MAIN WITHIN THE STREET AS DIRECTED BY THE CITY DPI WATER DEPARTMENT.

1. EXISTING UTILITIES SHOWN HAVE BEEN TAKEN FROM RECORD DRAWINGS AND FROM SURFACE EVIDENCE OBTAINED BY ON-THE-GROUND SURVEY. NO REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE UTILITIES SHOWN IS MADE BY THE SURVEYOR/ENGINEER. VERIFICATION OF UTILITIES AND LOCATIONS ARE THE RESPONSIBILITY OF THE CONTRACTOR WITH THE AID OF DIG SAFE AND OTHER RESPECTIVE UTILITY COMPANIES.

2. ALL CONSTRUCTION MATERIALS AND INSTALLATION METHODS TO CONFORM TO THE CITY OF NEW BEDFORD DEPARTMENT OF PUBLIC WORKS SPECIFICATIONS AND THE COMMONWEALTH OF MASSACHUSETTS DEPARTMENT OF PUBLIC WORKS CONSTRUCTION STANDARDS, AS MOST RECENTLY AMENDED.

3. CONTRACTOR SHALL KEEP RECORDS OF LOCATIONS FOR ALL UNDERGROUND UTILITIES INSTALLED FOR USE IN COMPILING AN AS-BUILT SITE PLAN.

4. CONTRACTOR TO VERIFY AND CHECK BENCHMARK AND ELEVATIONS AS SHOWN ON THIS PLAN PRIOR TO CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL PERMITS AS MAY BE REQUIRED, CONTRACTOR ALSO REQUIRED TO PAY ALL PERMITS AND FEES ASSOCIATED WITH COMPLETION OF THE WORK.

5. ANY LAWN AREA DISTURBED DURING CONSTRUCTION TO BE LOAM AND SEEDED AFTER PROPER BACKFILLING AND ALL TRENCHES WITH IN THE EXISTING PAVEMENT TO BE REPAIRED.

6. ALL WATER SERVICE CONNECTIONS TO BE INSTALLED A DEPTH OF FOUR FEET OR GREATER BELOW THE FROST LINE. CONTRACTOR TO EXPOSE THE SOUTHERLY WATER MAIN TO DETERMINE EXACT DEPTH. IF TOP OF WATER MAIN IS LESS THAN THAT OF THE FROST LINE THE WATER SERVICE MAY NEED TO BE TUNNELED BENEATH THE MAIN OR INSULATED PER D.P.I. PROCEDURES. WATER SERVICES TO BE INSTALLED 90 DEGREES TO MAIN AND DIRECTLY INTO DWELLING

7. EXISTING LEAD SERVICE SHOWN ON WATER DEPARTMENT PLANS WITHIN THE FRONTAGE OF LOT 4 TO BE EXPOSED (IF FOUND). SERVICE TO BE TERMINATED AT THE MAIN PER DPI REQUIREMENTS AND A NEW TAP WILL BE REQUIRED INTO THE 36" MAIN ALONG THE NORTH SIDE OF OLD PLAINVILLE ROAD AS SHOWN.

8. SERVICES TO BE INSTALLED UTILIZING A 36" TYPE DOUBLE STRAPPED SADDLE TYPE TAP CONNECTION INTO THE MAIN, 3/4" TYPE K COPPER SERVICES FOR DWELLINGS ON LOTS 1 & 2 AND A 1" TYPE K COPPER WATER SERVICE FOR THE LOT 4 DUPLEX BUILDING (SEE TYPICAL DETAIL AND SITE PLAN).

4" OF TOPSOIL LOAM & SEEDED
TACK COAT

1 1/2" WEARING COURSE (OR CONCRETE AS BUILT)
2 1/2" BINDER COURSE

12" GRAVEL OR AGGREGATE
BASE AND SUB-BASE

IF GRANULAR BACKFILL MATERIAL.
(IS ALLOWED) PROPER
COMPACTION. (NO CLAY OR ORGANIC
USE EXCAVATED MATERIAL IF SUITABLE
AS APPROVED BY THE CITYENGINEER.
(FLOWABLE FILL WHERE REQUIRED)

TYPICAL PIPE

MAXIMUM STONE SIZE 6" COMPACTED IN
6" LIFTS TO 95% MODIFIED PROCTOR TEST
PIPE BEDDING: BANK RUN GRAVEL WITH

TYPICAL TRENCH DETAILS
(NOT TO SCALE)

WATER CONNECTION PLAN

RONALD OLIVEIRA
PLAN LOT 1,2, & 4 - OLD PLAINVILLE ROAD
ASSESSORS MAP 14, LOTS 172, 173 & 174
NEW BEDFORD, MA

S&K ENGINEERING, LLC
P.O. BOX 1338
WESTPORT, MASSACHUSETTS 02790
(774) 319 - 5305

Contact Person: KJS
Checked By: KJS
Date: 8/4/2018


REV. NO.	REVISION	BY	DATE
1	PER DPI COMMENTS	KJS	8/4/2018
2	PER DPI COMMENTS	KJS	8/10/2018
3	SADDLE CONNECTIONS PER CONTRACTOR	KJS	8/17/2018

16-075


PROPOSED SITE PLAN
(SCALE 1"=30')

KEVIN J. SILVA
CIVIL
NO. 49878
REGISTERED
PROFESSIONAL ENGINEER


Kevin J. Silva






PROFILE OF DISPOSAL SYSTEM




SITE PLAN
Scale 1" = 20'



TYPICAL WATER SERVICE DETAIL
NOT TO SCALE



StormTech
Subsurface Stormwater Management
20 Beaver Road, Suite 104
Weathersfield, CT 06109
Phone: 866-692-2094
Fax: 866-328-8401
www.stormtech.com
* NOTE: CHAMBER SYSTEM DESIGN MUST BE IN ACCORDANCE WITH STORMTECH DESIGN MANUAL





LEACHING AREA DETAIL
Scale 1" = 10'

BASIS OF SANITARY DESIGN	
BUILDING USAGE:	3 Bedroom House
TITLE V SEWAGE FLOW:	3 Bedrooms x 110 GPD/Bedroom = 330 GPD
SEPTIC TANK SIZE:	1,500 Gallon
GARBAGE GRINDER:	Not Designed To Accommodate a Garbage Grinder
WASHING MACHINE:	Yes
PERCOLATION RATE:	Test Pit 1 = 2 Min/Inch & Test Pit 2 = 2 Min/Inch
DESIGN RATE:	2 Min/Inch Class I Soil
PROPOSED LEACHING FIELD INFORMATION	
BOTTOM AREA:	20 Ft (width) X 30 Ft (length) = 600 Sq. Ft.
DESIGN FLOW PROVIDED:	600 Sq. Ft. x .74 GPD/Sq. Ft. = 444 GPD
SOIL SUITABILITY ASSESSMENT INFORMATION	
DATE(S):	12/06/2016
PERFORMED BY:	KEVIN SILVA
WITNESSED BY:	GAIL JOSEPH

TP # 2A	TP # 2B
ELEV. = 99.9	ELEV. = 99.9
0" (GRD.)	0" (GRD.)
C/A SANDY LOAM 10YR S3	C/A SANDY LOAM 10YR S3
ELEV. = 98.9	ELEV. = 98.9
12"	12"
Bw SANDY LOAM 10YR S8 FRABLE	Bw SANDY LOAM 10YR S8 FRABLE
ELEV. = 96.9	ELEV. = 96.9
36"	36"
C1 SAND 10YR S6 MED. - COARSE LOOSE GRAVELLY W/ ROUNDED STONES	C1 SAND 10YR S6 MED. - COARSE LOOSE GRAVELLY W/ ROUNDED STONES
PERC RATE = 2 MP	PERC RATE = 2 MP
ELEV. = 92.9	ELEV. = 92.9
84"	84"
C2 SAND 2.5Y S3 LOOSE STRATIFIED SANDS	C2 SAND 2.5Y S3 LOOSE STRATIFIED SANDS
ELEV. = 88.9	ELEV. = 88.9
132"	132"
NO MOTTLING FOUND NO WATER FOUND DAMP SOIL @ 108" EL = 90.9	NO MOTTLING FOUND NO WATER FOUND DAMP SOIL @ 108" EL = 90.9
TP # 2C	TP # 2D
ELEV. = 99.8	ELEV. = 99.8
0" (GRD.)	0" (GRD.)
HTM/Ab SANDY LOAM 10YR S3	HTM/Ab SANDY LOAM 10YR S3
ELEV. = 95.5	ELEV. = 95.5
52"	52"
Bw SANDY LOAM 10YR S8 FRABLE	Bw SANDY LOAM 10YR S8 FRABLE
ELEV. = 94.5	ELEV. = 94.5
64"	64"
C1 SAND 10YR S6 MED. - COARSE LOOSE GRAVELLY W/ ROUNDED STONES	C1 SAND 10YR S6 MED. - COARSE LOOSE GRAVELLY W/ ROUNDED STONES
PERC RATE = 2 MP	PERC RATE = 2 MP
ELEV. = 93.8	ELEV. = 93.8
72"	72"
ELEV. = 92.5	ELEV. = 92.5
88"	88"
C2 SAND 2.5Y S3 LOOSE STRATIFIED SANDS	C2 SAND 2.5Y S3 LOOSE STRATIFIED SANDS
ELEV. = 88.8	ELEV. = 88.8
132"	132"
NO MOTTLING FOUND NO WATER FOUND DAMP SOIL @ 108" EL = 90.9	NO MOTTLING FOUND NO WATER FOUND DAMP SOIL @ 108" EL = 90.9

- GENERAL NOTES:
- THE SANITARY SEWAGE DISPOSAL SYSTEM SHOWN HEREON SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS OF MOST RECENT AMENDED TITLE V REGULATIONS OF THE STATE ENVIRONMENTAL CODE AND LOCAL BOARD OF HEALTH REGULATIONS. ANY MODIFICATION TO THIS DESIGN MUST BE APPROVED IN WRITING BY THE ENGINEER AND THE LOCAL BOARD OF HEALTH PRIOR TO IMPLEMENTATION.
 - NOTIFY THE LOCAL BOARD OF HEALTH & ENGINEER WHEN THE SYSTEM IS READY FOR INSPECTION, PRIOR TO ANY BACKFILLING. IF ENGINEER IS TO CERTIFY FINAL GRADING OVER THE SYSTEM UPON COMPLETION, (48 HOUR ADVANCED NOTICE)
 - CONTRACTOR SHALL VERIFY AND CHECK THE BENCHMARK AND ELEVATIONS AS SHOWN ON THIS PLAN PRIOR TO START OF CONSTRUCTION.
 - DEEP TEST HOLE INFORMATION INDICATES SOIL CONDITION, PERCOLATION RATE, AND WATER TABLE ELEVATION AT THE TIME AND LOCATION OF ACTUAL TESTING. NO ACTUAL GROUNDWATER ENCOUNTERED AT THE TIME OF TESTING. HOWEVER, THE CONTRACTOR SHALL NOTIFY THE LOCAL BOARD OF HEALTH IF GROUNDWATER OR PERCHED WATER IS ENCOUNTERED AT A HIGHER ELEVATION THAN INDICATED ON THIS DESIGN PLAN.
 - UNLESS SPECIFIED IN THE BASIS OF SANITARY DESIGN, THIS SYSTEM IS NOT DESIGNED FOR THE USE OF A GARBAGE GRINDER OR OTHER HIGH WATER USAGE DEVICES.
 - ANY FILL MATERIAL, FOUNDATION REMAINS, DEBRIS OR BURIED PIPING ENCOUNTERED ARE TO BE REMOVED AND DISPOSED OF IN A BOARD OF HEALTH APPROVED MANNER. IF ANY BURIED UNKNOWN IS UNCOVERED DURING EXCAVATION, CONTRACTOR TO ENSURE NO CONNECTIONS STILL LIVE OR IN USE BY THE EXISTING DWELLING ON LOT 3 OR ACCESSORY BUILDINGS PRIOR TO REMOVAL. ALL UTILITIES SERVING THE PROPOSED OR EXISTING DWELLINGS ARE TO BE WITHIN THE LIMITS OF THE EXISTING LOT CONFIGURATIONS AS SHOWN, OR A CROSS MAINTENANCE EASEMENT MAY BE REQUIRED.
 - THE PROPOSED SEPTIC TANK SHALL BE 1500 GALLONS MINIMUM, UNLESS OTHERWISE SPECIFIED ON THIS DESIGN PLAN, AND FITTED WITH PVC SCHEDULE 40 INLET TEE AND OUTLET TEE WITH GAS BAFFLE OF PROPER LENGTH. SEPTIC TANK CONSTRUCTION SHALL CONFORM TO 310 CMR 15.226.
 - SEPTIC TANK, PUMP CHAMBER (IF ANY) AND DBOX COVERS ARE TO BE BUILT UP TO WITHIN 6" OF THE FINISHED GRADE UNLESS OTHERWISE SPECIFIED ON THIS DESIGN PLAN AND SHALL BE PLACED ON A 6" MINIMUM COMPACTED GRAVEL BASE TO PREVENT HEAVING OR SETTLING.
 - ALL PIPING TO BE 4" SCH 40 PVC OR APPROVED EQUAL. ALL JOINTS MUST BE WATERTIGHT, SEALED WITH ASPHALT CEMENT OR OTHER CEMENT SUITABLE FOR THAT SPECIFIC COMPONENT.
 - NO HEAVY EQUIPMENT SHALL BE RUN OVER THE COMPONENTS OR THE PREPARED LEACHING AREA DURING INSTALLATION. RUBBER TIRE MACHINERY ARE NOT TO BE DRIVEN OVER THE PREPARED NATURAL SOIL BASE OR SANDSTONE BED DURING SYSTEM INSTALLATION.
 - SOIL PREPARATION PROCEDURE FOR THE LEACHING FACILITY AREA SHALL CONFORM TO 310 CMR 15.246 & 15.247. ANY EXCAVATION OF UNSUITABLE MATERIAL DESIGNATED ON THE PLAN SHALL CONFORM TO CONSTRUCTION IN FILL REQUIREMENTS AS OUTLINED IN 310 CMR 15.250 (1-6).
 - ANY CLEAN-OUTS AND INSPECTION PORTS SHOWN SHALL EXTEND WITHIN 3" OF FIN. GRADE AND CAPPED WITH A SCH 40 THREADED CLEAN OUT FITTING.
 - ANY LEACHING AREA (OR PUMP CHAMBER) VENTS SHALL BE CONSTRUCTED OF 4" SOLVENT WELD SCH 40 PVC, WITH A 90 DEGREE ELBOWS FORMING A "CANDY CANE" TYPE VENT.
 - FOR PROPER PERFORMANCE, THE SEPTIC TANK SHOULD BE INSPECTED ANNUALLY AND WHEN THE SOLIDS AND SCUM DEPTH EXCEEDS 1/3 OF THE LIQUID DEPTH, OR THREE YEARS HAS ELAPSED SINCE THE LAST PUMPING.
 - UTILITIES SHOWN HAVE BEEN TAKEN FROM RECORD DRAWINGS AND FROM SURFACE EVIDENCE LOCATED BY AN ON-THE-GROUND SURVEY. NO REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE UTILITIES SHOWN IS MADE BY THE SURVEYOR/ENGINEER VERIFICATION OF UTILITIES AND LOCATIONS ARE THE RESPONSIBILITY OF THE CONTRACTOR WITH THE AID OF DIG SAFE AND OTHER RESPECTIVE UTILITY COMPANIES.
 - AREA IS SERVICED BY MUNICIPAL WATER. ANY WELLS FOUND WITHIN 100' OF THE PROP. LEACHING AREA ARE SHOWN OR TAKEN FROM PLANS OF RECORD.
 - ALL COMPONENTS OF THE SEPTIC SYSTEM ARE TO BE MARKED WITH A MAGNETIC TAPE CAPABLE OF BEING DETECTED BY A METAL DETECTOR.
 - THE PROPOSED WORK IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD ZONE AS DELINEATED ON FEMA FLOOD INSURANCE RATE MAP.
 - TOPOGRAPHIC SURVEY CONTROL TAKEN FROM PLAN AS PREPARED BY KENNETH R. FERREIRA ENGINEERING AND SUPPLIED TO THIS OFFICE.



BUILDING PERMIT PLAN & SEPTIC SYSTEM DESIGN PLAN

RONALD OLIVEIRA
PLAN LOT 2 - OLD PLAINVILLE ROAD
ASSESSORS MAP 124, LOT 173
NEW BEDFORD, MA

S&K ENGINEERING, LLC
P.O. BOX 1338
WESTPORT, MASSACHUSETTS 02790
(774) 319 - 5305

Contact Person: KJS
Checked By: KJS
Date: 1/21/2017

REV. NO.	REVISION	BY	DATE
1	PER DPT COMMENTS	KJS	1/11/17
2	PER DPT COMMENTS	KJS	1/18/2018

16-075.2