

APPLICATION No.: 1647

TAP CLEARED

LOCATION: 1 Front St.

OWNER: N.B. Redevelopment

MEASURES:

Redevelopment, to be used by <sup>CAMPANELLA</sup> Perini Corp.

-----  
January 14, 1969 Installed a 12" x 4" reducer in the east bell of the 12" x 8" tee at Walnut & Front Streets. Installed a 2 ft. piece of 4" cast iron pipe in the reducer. Installed a 4" all bell gate at the end of 2 ft. piece of pipe. Installed 34 ft. of 4" cast iron pipe easterly from 4" gate valve. Installed a 4" 1/4 Bend 58.3 ft. E x W line of Front St. with the bell facing south.

Installed 15.1 ft. of 4" cast iron pipe from 4" 1/4 Bend - southerly. Installed a 4" offset 12" C to C, 9.5 ft. north from the center of the meter pit. Installed a 4" x 3" reducer 7 ft. north x center of the meter pit connecting to the existing 3" cast iron pipe.

Stock:

51.1 ft. of 4" C.I.C. Lined Pipe

9 4" Mineralead joints

1 3" Mineralead joint

1 4" Darling All Bell gate valve, o-ring

1 4" cast iron gate box, complete

1 4" 1/4 Bend, Bell &amp; Spigot, cement lined

1 4" offset, 12" C. to C., B & S, cement lined  
continuedNOT  
VALID #13

DATE

BEF.

AFT.

REMARKS

[illegible]

## CHARGE OUTS

[illegible]



APPLICATION No.: 1647

## TAP CLEARED

LOCATION: 1 Front Street

OWNER: N. B. Redevelopment

## MEASURES:

Location of 4" 1/4 Bend:

E x W line Front Street 58.3 ft.

S x N line Walnut Street 12.0 ft.

N x center of Meter Pit 25.0 ft.

Location of 4" Gate Valve:

E x W line Front Street 23.3 ft.

S x N line Walnut Street 12.0 ft.

Location of 4" Offset 12" C. to C.:

E x W line Front Street 58.3 ft.

N x center of Meter Pit 9.5 ft.

Location of 4" x 3" Reducer:

E x W line Front Street 58.3 ft.

N x center of Meter Pit 7.0 ft.

DATE

BEF.

AFT.

REMARKS

[illegible]

## CHARGE OUTS