

APPLICATION No.:

LOCATION:

31-313

143-145 Central Ave

Contractor: City of New Bedford

Type of Pipe: Copper

Size: 3/4"

(3-4)" Ball ¾" Ball Valve Valve Units 1 UOM Each

MeterCou 5/8" Meter Coupling p- (5-8)" Units 2 UOM Each

(3-4)" ¾ PROPRESS 90 PROPRESS SS 90 Units 2 UOM Each

3/4" 3/4" Copper Tubing Type-K Copper Tubing-K Units 30 UOM Feet

TAP CLEARED

DATE \_\_\_\_\_

BEF.

AFT.

REMARKS

## METER HISTORY

[illegible]

## CHARGE OUTS

APPLICATION No.: 18771 5/8"

TAP CLEARED

LOCATION: 143-145 Central Ave.

DATE

BEF.

AFT.

REMARKS

OWNER: G.B. Carrier

MEASURES: 5/8"

W from Concord

228.5 ft.

S from N line Central

9.3 ft.

E from W line House

4.0 ft.

1-19-00 Tap reamed

2/28/00

2000-0400844

Tap reamed 3-27-01

July 28, 1959 5/8 L.L. laid 1922 No work done;

- - -

July 29, 1959 Renewed from a point 1 ft. outside curb  
stop to a point 1 ft. inside curb stop.2 ft. - 3/4" copper tubing; 2# wiping solder; 1-3/4"  
cop to cop stop, fig. 415 - R.H.

- - -

1-19-00 Renewed from 1/2' outside curb stop to a point  
1 1/2' Stock: 2 ft. - 3/4" Copper tubing, 1 - 3/4" Curb  
Stop, 2 - 3/4" x 5/8" lead to cop. adapt. XS.3-27-01 Renewed from main to property line. Stock:  
29 ft. - 3/4" Copper tubing, 1 - 3/4" Curb Stop,  
1 - Caldwell Stop Box, 1 - 5/8"x3/4" elad to cop.  
adapt.XS, 1 - 5/8" x 3/4" Fig. 413.1/19/09 - City repaired water main & renewed service from main  
to a point 2 ft2 ft - 3/4" copper; 1 -3/4" Tap; 1 -3/4" cop to cop cplg. comp  
Foreman: Danny Perry

RY

[illegible]

### CHARGE OUTS