APPLICATION No.: 22122	TAP CLEARED				
LOCATION: 733 Pleasant St., S of High St.	DATE	BEF.	AFT.	REMARKS	
. OWNER: N.B. Hotel Co.	,			V	
MEASURES: 4" Copper 10-26-45			78.75	7/10 To 10 T	
1-4" Darl tp. gate 1-4" C.I. Gate Box 205# S from S line High 29.8 ft.					
E from W line Pleasant 26.0 ft. S from N line Building 4.0 ft.					
May 1974 Renewed from the new 30" main in Pleasant St.					
to a point W x E line Pleasant St. 35 ft. 2.4 ft 6" C.I.C.L. Class 2 Ductile Pipe					
70 0 01 1 10 0 T 0 T 07 0 D					
1.3 ft 4" C.I. pipe (not ductile) 6" x 4" C.I.C.L. Class 250 Reducer					
6" x 4" C.I.C.L. Class 250 Reducer 4" Smith private gate valve mech. jt.	Se				
13.0 ft 4" C.I.C.L. Class 2 Ductile Fipe 1.3 ft 4" C.I. pipe (not ductile) 6" x 4" C.I.C.L. Class 250 Reducer 4" Smith private gate valve mech. jt. 1 reg. C.I. gate box, complete N.B. pattern 4" Copper caulking connection 4" lead joint 4" C.I.C.L. Class 250 Solid Sleeve M.J.					
4" Copper caulking connection		1			
4" lead joint 4" C.I.C.L. Class 250 Solid Sleeve M.J.					
4" Sbestos Yarn. joint					
30" x 30" x 6" C.I.C.L. Class 250 tee, MJ.					
MEASURES **O" x 30" x 6" Tee 4" Private Gate Valve					
SxSline High St. 34.0 ft. SxSline High 34.0	ft.				
W x E line Pleasant 17.5 ft. W x E line Pleasant St.	25.6 f				
	8.5 f				
S x S line High St. 34.0 ft. E x E line Hotel W x E line Pleasant 19.8 ft. 4" Solid Sleeve	04.0				
6" x L" Reducer S x S line High St.	34.0 f	t .			
S x S line High St. 34.0 ft. W x E line Pleasant W x E line Pleasant 20.6 ft.	33.6 f	•			

- The state of the	APPLICATION No.: 22122	TAP CLEARED				
LOCATION: 733 Pleasant St.	S x High St.	DATE	BEF.	AFT.	REMARKS	
· OWNER: N.B. Hotel						
MEASURES:						
4"						
Laulking connection S x S line High St.	34.0 ft.					
W x E line Pleasant St.	35.0 ft.					
S x N line Hotel E x E line Hotel	2.0 ft. 53.0 ft.					
		-				
	F 各一位 对 10种 在 1种。					
	4					

METER HISTORY							CHARGE OUTS		
DATE	SET	SIZE	MAKE	NUMBER	READING		TEST	REMARKS	To the teacher of the
									•
			-			2			
						-			
								_4	
								,,	
								7	