

APPLICATION No.:

41 04

TAP CLEARED

LOCATION:

40 No. Front

OWNER:

Revere Copper & Brass

MEASURES:

4¹¹

S from

Logan

400.0

W from E line

Front

5.4

S from S line

office

20.8

9.0

Sept. 1989 Relocated ser. from old abandoned 8" main to new 8" ductile main as part of new sewer & drain project:

Renewed from new 8" x 8" x 4" tee to a 4" 45° Bend tied to existing

4" service 2 ft. E x main. see sketch attached

July 6, 1992	During Belleville Ave. sewer project - Gioioso Const. cut out a section of 4" pipe in order to blast ledge & dig for new sewer pipe.	
--------------	--	--

Re-installed with

8.7 ft. - 4" ductile pipe from the 8" x 4" tee to a point 26 ft. E	x W line	No.	Front	St.
--	----------	-----	-------	-----

1 - 4" #153 Cast cplg.

July 1, 1992	Gioioso Const. broke 4" cast iron main while digging for sewer pipe.				
	Repairs made with 4" ductile pipe & 4" #153 cplgs.				

6.2 ft - 4" ductile pipe 1 - 4" Pressure #152

6.2 ft. - 4" ductile pipe 1 - 4" Dresser #153 cast cplg.

From 8" x 4" tee to a point 24.5 ft. E x W line No. Front St.

[illegible]

CHARGE OUTS

[illegible]

SHT # 2 OF 2

SEPT. 1989

DRY WEATHER ABATEMENT FACILITIES PROTECT
 WATERMAIN RELOCATION - NO. FRONT ST. BETW. LOGAN & WAMISUTTA

③ & ④

4" & 8" WATER SERVICES TO REVERE COPPER & BRASS



