

APPLICATION No.: 6285

TAP CLEARED ✓

LOCATION: 40 Gosnold St.

OWNER: Marion B. Santos

992-0215

DATE

BEF.

AFT.

REMARKS

8/29/80

Reamed

MEASURES: 5/8" H lead Oct. 1, 1889

7/27/94: tap reamed

W from W line Bolton St. 359.4 ft.

S from N line Circuit St. 11.0 ft - 6.4 ft.

W from W line #31 Circuit St. 11.8 ft.

Feb. 23, 1976 Renewed from 6" outside curb stop to point 2 ft. inside curb stop.

2 1/2' - 3/4" Copper tubing 3/4" Curb stop

Caldwell Stop Box 2 - 5/8" x 3/4" lead to cop. adaptor XXS

8/29/80: Rehewed from main (on Circuit St.) to a point 4.5 ft. from main. 4.5 ft. - 3/4" copper; 5/8" x 3/4" Fig. 413; 5/8" x 3/4" lead-cop. adapt. XXS

7/27/94: Biszko Cont. renewed from main to prop line during cement lining Cont. supplied all stock & will maintain trench 32ft 3/4" copper tubing 1-3/4" curb stop 1-Caldwell stop box 1-3/4x5/8 lead-cop adapt. xxs 1-3/4x5/8 Fig 413

Insp. FBento NOTE: #35 Circuit & #40 Gosnold T APS are 2ft apart on main STOP BOXES 1ft apart LEAD-COP adapt. 8ft apart.

=====

[illegible]

CHARGE OUTS

[illegible]

40 GOSNOLD

APPLICATION No.: 6285 5/8" H lead

TAP CLEARED

LOCATION: Circuit St.OWNER: Manl Perry

MEASURES: 5/8"	H lead	Oct. 1, 1889
W from W line	Bolton	359.4 ft.
S from N line	Circuit	6.4 ft.
W from W line	#31 Circuit	11.8 ft.
Service enters house N from S line		1.0 ft.
Tap:		
W from W line	#6283	8.6 ft.
S from S line	#6285	90.0 ft.

DATE

BEF.

AFT.

REMARKS

METER HISTORY

[illegible]

CHARGE OUTS